

PROJECT MANUAL

including Specifications
for construction of:

The COUNTY OF MENDOCINO Covelo Airport Fencing

22830 Airport Rd.
Covelo, CA 95428



Prepared by:
FACILITIES & FLEET DIVISION
841 LOW GAP ROAD
UKIAH, CA 95482
Tel: (707) 234-6073

BID 029-22

Date of Issue:
AUGUST 19, 2022

SECTION 00002 - PROJECT DIRECTORY

PROJECT Covelo Airport Fencing
Round Valley Airport
22830 Airport Rd.
Covelo, CA 95428

OWNER: County of Mendocino
Department of Transportation
340 Lake Mendocino Drive
Ukiah, CA 95482
(707) 463-4363

AGENT: County of Mendocino General Services Department
Facilities and Fleet Division
841 Low Gap Road
Ukiah, CA 95482
(707) 234-6073
Walter Kolon, Facility Project Specialist II

ARCHITECT: Brokaw Design
P.O. Bx 3103
Rohnert Park, Ca. 94927
(415) 860-5043
Email: charles.beavers@brokawdesign.com
Charles Beavers, Architect

SECTION 00005 - TABLE OF CONTENTS

DIVISION 0 - BIDDING AND CONTRACT REQUIREMENTS

00001	Cover Page
00002	Project Directory
00005	Table of Contents
00020	Notice Inviting Bids
00100	Instruction to Bidders
00120	Qualification Application
00306	Antitrust Claim Assignment
00307	Non-Collusion Affidavit
00308	Public Contract Code Questionnaire
00310	Bid Form
00430	Subcontractor Listing Form
00500	Agreement for Lump Sum Bid
00501	Workers Compensation Certification
00510	Contractor Guarantee
00650	Construction Site Storm Water Policy
00700	General Conditions
00811	Unforeseen Physical Conditions
00851	Drawing Index

DIVISION 1 - GENERAL REQUIREMENTS

01010	Summary of Work
01220	Alternates

DIVISION 3 - SITE WORK

321313	Site Concrete
323113	Chain Fences and Gates

SECTION 00020 - NOTICE INVITING BIDS

Notice is hereby given that sealed bids will be received at the Mendocino County General Service Agency Office, 841 Low Gap Road, Ukiah, California 95482 until the hour of 2:00 p.m., as determined by the clock on the wall in the General Services Agency Office, **on September 15, 2022** and then publicly opened and read aloud in the General Service Department Conference Room, 841 Low Gap Road, Ukiah, California for the following project:

Covelo Airport Fencing Project (BID 029-22)

Electronic Plans and Documents may be seen or downloaded from the Mendocino County Web Page for Open RFP, Quotes & Bids: <https://www.mendocinocounty.org/government/executive-office/open-rfp-quotes-bids>. Additionally plans and documents have been distributed to builder's exchange plan rooms throughout Northern California.

Bids shall be made on the form provided in this Manual and accompanied by a form of bid security as provided in Section 00100 Instructions to Bidders.

The successful Bidder will be required to furnish a Labor and Material Bond and a Performance Bond as required in Section 00100 Instructions to Bidders.

Bidders' attention is called to Instruction to Bidders and other related documents in this Manual for full directions and information as to bidding and other requirements.

NON-MANDATORY PRE-BID CONFERENCE

A non-mandatory pre-bid conference and site inspection will be held on TUESDAY, AUGUST 30 @ 10:00 AM at the Round Valley Airport 22830 Airport Rd., Covelo, California.

The County reserves the right to schedule additional mandatory pre-bid conferences to ensure adequate bid representation. Failure to attend at least one of the pre-bid conferences will disqualify a non-attending bidder from the bid.

PAYMENT OF PREVAILING WAGES

Pursuant to the provisions of the Labor Code of the State of California, the Department of Industrial Relations has made a determination of the rate of per diem wages to be paid on the prevailing rate of pay for regular, holiday and overtime work in the locality in which the public work is to be performed, for each craft, classification, or type of workman needed to execute the contract. All County of Mendocino projects greater than \$1,000 require that contractors adhere to Prevailing Wage requirements (California Labor Code, Sections 1770 through 1775). The rates can be found online here: <https://www.dir.ca.gov/OPRL/DPreWageDetermination.htm>.

CONTRACTOR REGISTRATION

Per Labor Code Section 1771.1(a) A contractor or subcontractor shall not be qualified to bid on, be listed in a bid proposal, subject to the requirements of Section 4104 of the Public Contract Code, or engage in the performance of any contract for public work, as defined in this chapter,

unless currently registered and qualified to perform public work pursuant to Section 1725.5. It is not a violation of this section for an unregistered contractor to submit a bid that is authorized by Section 7029.1 of the Business and Professions Code or by Section 10164 or 20103.5 of the Public Contract Code, provided the contractor is registered to perform public work pursuant to Section 1725.5 at the time the contract is awarded.

CERTIFIED PAYROLL RECORDS

Per Labor Code Section 1776 each contractor and subcontractor shall keep accurate payroll records. A certified copy of all payroll records for work performed under this contract shall be furnished upon request to a representative of the awarding body. Per SB 854 contractors and subcontractors are required to furnish certified payroll reports directly to the Department of Industrial Relations.

EMPLOYMENT OF APPRENTICES

Each contractor and subcontractor performing work in an apprenticeable craft or trade shall comply with Section 1777.5 relating to Apprentices on public works projects.

MENDOCINO COUNTY BUSINESS LICENSE

Pursuant to Mendocino County Code Chapter 6.04 – Business Licenses, at the time of contract award, the contractor shall supply a copy of their current County of Mendocino business license.

LAWS AND GOVERNANCES

In the performance of the work contemplated by this contract, the contractor shall conform to and abide by all labor requirements and provisions of State and Federal Laws and City and County Ordinances and Regulations which may in any manner affect those engaged or employed on the work project, including but not limited to the overtime provisions of the Labor Code section 1813 and 1815 of the State of California.

Federal Laws, including The Davis-Bacon Act and The Americans with Disabilities Act of 1990, are applicable to the project.

END OF SECTION

SECTION 00100 INSTRUCTIONS TO BIDDERS

PART 1 – GENERAL

1.1 BIDS RECEIVED

- A. Sealed bids for **Covelo Airport Fencing Project (BID 029-22)** will be received at the Mendocino County General Service Agency Office, 841 Low Gap Road, Ukiah, California, until 2:00 p.m. as determined by the clock on the wall of the General Service Agency Office, on September 15, 2022, and then publicly opened and read aloud in the General Service Agency Conference Room, 841 Low Gap Road, Ukiah, California.
- B. Late bids will not be accepted. It is Bidder's responsibility to assure that its bid is delivered and received at the location noted above on or before the date and hour set for the bid opening.

1.2 LICENSE REQUIREMENT

The license required for this Project is a “C-13” Fencing License.

1.3 BIDS AND BID SECURITY

Bids, to be considered, must be in accordance with the following instructions:

- A. Bids must be submitted on the bid form provided in this Manual, properly and completely filled out with numbers stated both in writing and in figures and with signatures of all persons signing in longhand/cursive.
- B. The completed form shall be without erasures or interlineation and shall not contain recapitulations of the work to be done.
- C. A Bidder's Bond, Certified Check or Cashier's Check made payable to the County of Mendocino for an amount equal to at least ten percent (10%) of the bid amount shall accompany each bid. The above-mentioned bid security shall be given as a guarantee that the Bidder shall execute the contract if it be awarded to it in conformity with the contract documents and shall provide the surety bond or bonds required, sign the contract and commence work as set forth in the contract documents. Such guaranty to be forfeited should the Bidder to whom the contract is awarded fail to enter into the contract.
- D. Responsive Bids shall include completed and executed copies of the following sections if included in the project Manual:

- a. 00120 Qualification Application
- b. 00307 Non-Collusion Affidavit
- c. 00308 Public Contract Code Questionnaire
- d. 00310 Bid Form
- e. 00430 Subcontractor Listing Form

1.4 SUBCONTRACTORS LISTED

- A. In accordance with California Public Contract Code Sections 4100 et seq., inclusive, each bidder shall provide a list of subcontractors (Section 00430), giving the name and location of place of business and contractor's license number of each subcontractor who will perform a portion of the contract work in an amount in excess of one-half of one percent (0.5%) of the total contract price. In each instance, the nature and portion of the work to be subcontracted shall be described.
- B. Failure of Bidder to specify a subcontractor for any portion of the work in an amount in excess of one-half of one percent (0.5%) of the total contract price constitutes an agreement for Bidder to perform that portion of the work itself. After bids are opened, no subcontractor may be designated or substituted except as provided for in Sections 4107 et seq. of the Public Contract Code.
- C. All Bidders must supply with their Bids the required information on all subcontractors who will perform any portion of the work including labor, rendering of service or specially fabricating and installing a portion of the Work or improvement according to detailed drawings contained in the plans and specifications, in excess of one-half of one percent (0.5%) of total bid. Violation of this requirement may result in Bid being deemed non-responsive and not being considered.

1.5 AWARD OR REJECTION OF BIDS

The contract shall be awarded to the lowest responsible bidder complying with these instructions, provided the bid is deemed reasonable and in the best interest of the County of Mendocino. County reserves the right to reject any and all bids, and to waive any informality on bids received whenever the rejection or waiver is in the best interest of County. The competency and dependability of the bidders will be considered when making the award.

- A. Additive and Deductive Items: Method of Determining Lowest Bid. Pursuant to Public Contract Code section 20103.8, if this bid solicitation includes additive and/or deductive items, the checked [X] method shall be used to determine the lowest bid: [check one].

- X 1. The lowest bid shall be the lowest bid price on the base contract without consideration of the prices on the additive or deductive items.
2. The lowest bid shall be the lowest total of the bid prices on the base contract and those additive or deductive items that were specifically identified in the bid solicitation or Bid Form as being used for the purpose of determining the lowest bid price.
3. The lowest bid shall be the lowest total of the bid prices on the base contract and those additive or deductive items taken in order from a specifically identified list of those items that, when in the solicitation, and added to, or subtracted from, the base contract, are less than, or equal to, a funding amount publicly disclosed by the County before the first bid is opened.
4. The lowest bid shall be determined in a manner that prevents any information that would identify any of the bidders or the proposed Subcontractors or suppliers from being revealed to the public entity before the ranking of all bidders from lowest to highest has been determined.

If no method is checked, sub-paragraph 1. shall be used to determine the lowest bid.

- B. Notwithstanding the method used by the County to determine the lowest responsible bidder, the County retains the right to add to or deduct from the contract any of the additive or deductive items included in the bid solicitation.
- C. The award of the contract, if awarded, is expected to be made within thirty (30) days and in no event later than eighty (80) days after the bid opening. After award, County shall notify the successful Bidder in writing, and forward with the notification original contracts for Bidder's execution. Within eight (8) working days after such notification, the successful Bidder shall return the signed contracts to County, accompanied by all required Surety Bonds, insurance policies and endorsements.

1.6 TIME OF COMPLETION

Bidder agrees to commence work on or before a date to be specified in the written "Notice to Proceed" from County and to fully complete the project within sixty (60) calendar days from date of the written "Notice to Proceed".

1.7 ADDENDUM

Any addendum issued during the time of bidding and before bid opening shall be included in the bid. The addendum issued by County shall become part of the agreement. Questions to be considered for inclusion in an addendum must be in writing and in the hands of County not less than seven (7) days prior to bid opening date.

1.8 INTERPRETATION OF DRAWINGS AND DOCUMENTS

Should a Bidder find discrepancies in, or omissions from, the drawings or documents, or should it be in doubt as to their intent, it should at once notify County, which will then send responsive written instructions in the form of addenda to all Bidders. County will not be responsible for any oral instructions. Any verbal conversations with County during the bidding period are not to be construed as instructions. Any changes in the Contract documents will be issued by written addendum only.

1.9 WITHDRAWAL OF BID

Bids may be withdrawn prior to, but not later than, the time of bid opening.

1.10 BONDS

The successful Bidder is required to furnish a Labor and Material Payment Bond and a Performance Bond each in the amount equal to one hundred percent (100%) of the contract price. Said Bonds shall be obtained from a surety company satisfactory to County.

1.11 SUBSTITUTIONS

Any substitution shall be made in accordance with instructions contained in Section 00700 – General Conditions included herein. Questions concerning substitutions will not be entertained during the bidding period.

1.12 SUBSTITUTION OF SECURITY

Pursuant to California Public Contract Code Section 22300, the Contractor may substitute securities for retention money withheld by the County to insure performance under the Contract. Said securities shall be in a form and of a type acceptable to the County.

1.13 LIQUIDATED DAMAGES

In case of failure on the part of Contractor to complete the work within the time stipulated plus any duly authorized extension of time granted in writing by County, Contractor shall pay to County the sum of \$250.00 per calendar day for each day's delay beyond the time prescribed as liquidated damages, but not as a penalty. The language in the paragraph of the General Conditions entitled "Time of Completion and Liquidated Damages" is incorporated herein.

1.14 BIDDER'S QUALIFICATIONS

- A. All Bidders, Contractors and Subcontractors bidding under joint venture agreements shall be duly licensed as provided for under Sections 7000 et seq. of the Business and Professions Code.
- B. A corporation which is awarded the Contract will be required to furnish certification attesting to its corporate existence, as well as evidence that the Officer signing the contract is duly authorized to do so.
- C. Bidders and their subcontractors may be required to furnish evidence satisfactory to County that they have sufficient means and have had experience in the class of work called for to enable them to complete the contract in a satisfactory manner.
- D. No person, firm or corporation shall make or file or be interested in more than one bid for the same work, except insofar as alternate bids may be called for. No person, firm or corporation shall submit a collusive or sham bid or seek directly or indirectly to induce any other bidder to submit a collusive or sham bid or to refrain from submitting a bid or to seek in any way to control or fix the price of the bid or any portion of the bid price in order to secure an advantage against County or any other person interested in the proposed contract. However, a person, firm or corporation submitting a sub-proposal to a bidder or quoting prices on materials to a bidder is not hereby disqualified from submitting sub-proposals or quoting prices to other bidders.
- E. A licensed contractor shall not submit a bid to a public agency unless (1) its contractor's license number appears clearly on the bid, (2) the license expiration date is stated, and (3) the bid contains a statement that the representations made therein are made under penalty of perjury. Any bid not containing this information, or a bid containing information which is subsequently proven false, shall be considered non-responsive and shall be rejected by County.
- F. The work to be performed under this contract is of a very specialized nature. It is the desire of County to secure the best work attainable and to maintain a very critical and condensed schedule. Bidders considered for award will be limited to those firms who can show to the satisfaction of County that they have the facilities and experience necessary to perform the required construction in accordance with specifications proposed for this project. The terms under which bidders will be evaluated and the rules that will be applied are attached to this Manual as section 00120 Qualification Application.

1.15 EXAMINATION OF SITE AND DOCUMENTS

By submitting a bid, Bidder agrees and warrants that (1) it has examined the site and all documents, drawings and specifications; (2) it is satisfied that the same are adequate to produce the required results; and (3) its bid covers the cost of all items required in the

agreement. The work to be performed includes all of the items mentioned in these specifications and/or as shown on the plans and other documents included as a part of the project.

1.16 ENVIRONMENTAL AND PLANNING CONDITIONS OF APPROVAL

Bidder agrees to perform its work in conformance with all environmental and planning conditions of approval applicable to the project. Bidders' attention is directed to specification section 00801 Supplementary General Conditions and the source documents for specific conditions of approval

1.17 AGREEMENT

Contract documents include the Agreement which the successful Bidder, as Contractor, will be required to execute.

1.18 PRE-CONSTRUCTION CONFERENCE

The successful bidder shall be available for a pre-construction conference with County at a mutually convenient time.

END OF SECTION

SECTION 001200-QUALIFICATION APPLICATION

The information contained in this Application is confidential and is for the sole use of County in evaluating the qualifications of Bidder. Only the information below ("Contact Information") is considered public information.

CONTACT INFORMATION

Firm Name (as it appears on license): _____

Check one: ☐ Corporation ☐ Partnership ☐ Sole Proprietor

Contact Person: _____

Address: _____

Phone: _____ Fax: _____

If the firm is a sole proprietor or partnership:

Owner(s) of Company: _____

Contractor's License Number(s):

<u>License No.</u>	<u>Classifications</u>	<u>Expiration</u>	<u>Qualifying</u>
<u>Individual</u>			

DIR Registration Number: _____

Mendocino County Business License No: _____

PART I.

ESSENTIAL REQUIREMENTS FOR QUALIFICATION

The Contractor will be immediately disqualified if the answer to any of questions 1 through 3 is “no”.

The Contractor will be immediately disqualified if the answer to any of questions 4 through 7 is “yes”¹.

1. Contractor possesses a valid and current California Contractor’s license for the project or projects for which it intends to submit a bid.
☐ Yes ☐ No
2. Contractor has a liability insurance policy with a policy limit of at least one million dollars (\$1,000,000) per occurrence and two million dollars (\$2,000,000) aggregate.
☐ Yes ☐ No
3. Contractor has a current workers’ compensation insurance policy as required by the Labor Code or is legally self-insured pursuant to Labor Code Section 3700 *et seq.*
☐ Yes ☐ No ☐ Contractor is exempt from this requirement because it has no employees
4. Has Contractor’s license been revoked at any time in the last five (5) years?
☐ Yes ☐ No
5. Has a surety firm completed a contract on Contractor’s behalf, or paid for completion because Contractor’s firm was default terminated by the project owner within the last five (5) years?
☐ Yes ☐ No
6. At the time of submitting this qualification form, is Contractor’s firm ineligible to bid on or be awarded a public works contract, or perform as a subcontractor on a public works contract, pursuant to either Labor Code Section 1777.1 or Labor Code Section 1777.7?
☐ Yes ☐ No

If the answer is “yes”, state the beginning and ending dates of the period of debarment:

7. At any time during the last five (5) years, has Contractor’s firm, or any of its owners or officers, been convicted of a crime involving the awarding of a contract of a government construction project, or the bidding or performance of a government contract?
☐ Yes ☐ No

¹ A contractor disqualified solely because of a “yes” answer given to questions 4,5, or 7 may appeal the disqualification and provide an explanation of the relevant circumstances during the appeal procedure.

PART II. ORGANIZATION, HISTORY, ORGANIZATIONAL PERFORMANCE,
COMPLIANCE WITH CIVIL AND CRIMINAL LAWS

A. Current Organization and Structure of the Business

For firms that are corporations:

- 1a. Date incorporated: _____
1b. Under the laws of the State of: _____
1c. Provide all the following information for each person who is either (a) an officer of the corporation (president, vice president, secretary, treasurer), or (b) the owner of at least ten percent (10%) of the corporation's stock:

Name	Position	Years with Co.	% Ownership	Social Security #

For firms that are partnerships:

- 1a. Date of formation: _____
1b. Under the laws of the State of: _____
1c. Provide all of the following information for each partner who owns ten percent (10%) or more of the firm:

Name	Position	Years with Co.	% Ownership	Social Security #

For firms that are sole proprietorships:

- 1a. Date of commencement of business: _____
1b. Social security number of company owner: _____

B. History of the Business and Organizational Performance

2. Has there been any change in ownership of the firm at any time during the last three (3) years?

NOTE: A corporation whose shares are publicly traded is not required to answer this question.

☐ Yes ☐ No

If “yes”, explain on a separate signed page.

3. Is the firm a subsidiary, parent, holding company, or affiliate of another construction firm?

NOTE: Include information about other firms if one firm owns fifty percent (50%) or more of another, or if an owner, partner, or officer of Contractor’s firm holds a similar position in another firm.

☐ Yes ☐ No

If “yes”, explain on a separate signed page.

4. Are any corporate officers, partners, or owners connected to any other construction firms?

NOTE: Include information about other firms if an owner, partner, or officer of Contractor’s firm holds a similar position in another firm.

☐ Yes ☐ No

If “yes”, explain on a separate signed page.

5. Financial Statements: Does the Contractor have reviewed or audited financial statements for each of the last three years?

☐ Yes ☐ No

6. State Contractor’s firm’s gross revenues for each of the last three (3) years:

Year	Gross Revenue

7. How many years has Contractor’s organization been in business in California as a contractor under its present business name and license number? _____ years.

8. Is Contractor’s firm currently the debtor in a bankruptcy case?

☐ Yes ☐ No

If “yes”, please attach a copy of the bankruptcy petition, showing the case number, and the date on which the petition was filed.

Disputes

9. At any time in the last five (5) years, has Contractor’s firm been assessed and paid liquidated damages after completion of a project under a construction contract with either a public or private owner?

☐ Yes ☐ No

If “yes”, explain on a separate signed page, identifying all such projects by owner, owner’s address, the date of completion of the project, amount of liquidated damages assessed, and all other information necessary to fully explain the assessment of liquidated damages.

10. In the last five (5) years, has Contractor's firm, or any firm with which any of Contractor's company's owners, officers or partners was associated, been debarred, disqualified, removed or otherwise prevented from bidding on, or completing, any government agency or public works project for any reason?

NOTE: "Associated with" refers to another construction firm in which an owner, partner or officer of Contractor's firm held a similar position.

☐ Yes ☐ No

If "yes", explain on a separate signed page. State whether the firm involved was the firm applying for qualification here or another firm. Identify by name of the company, the name of the person within Contractor's firm who was associated with that company, the year of the event, the owner of the project, the project, and the basis for the action.

11. In the last five (5) years, has Contractor's firm been denied an award of a public works contract based on a finding by a public agency that Contractor's company was not a responsible bidder?

☐ Yes ☐ No

If "yes", explain on a separate signed page. Identify the year of the event, the owner, the project, and the basis for the finding by the public agency.

NOTE: The following two questions refer only to disputes between Contractor's firm and the owner of a project. Contractor need not include information about disputes between its firm and a supplier, another contractor, or subcontractor. Contractor need not include information about "pass-through" disputes in which the actual dispute is between a subcontractor and a project owner. Also, Contractor may omit reference to all disputes about amounts less than \$50,000.

12. In the last five (5) years, has any claim *against* Contractor's firm concerning the firm's work on a construction project been *filed in court or arbitration*?

☐ Yes ☐ No

If "yes", on separate signed sheets of paper identify the claim(s) by providing the project name, date of the claim, name of the claimant, a brief description of the nature of the claim, the court in which the case was filed, and a brief description of the status of the claim (pending or, if resolved, a brief description of the resolution).

13. In the last five (5) years, has Contractor's firm made any claim against a project owner concerning work on a project or payment for a contract and *filed that claim in court or arbitration*?

☐ Yes ☐ No

If "yes", on separate signed sheets of paper identify the claim by providing the project name, date of the claim, name of the entity (or entities) against whom the claim was filed, a brief description of the nature of the claim, the court in which the case was filed, and a brief description of the status of the claim (pending or, if resolved, a brief description of the resolution).

Criminal Matters and Related Civil Suits

14. Has Contractor's firm or any of its owners, officers or partners ever been found liable in a civil suit or found guilty in a criminal action for making any false claim or material misrepresentation to any public agency or entity?

☐ Yes ☐ No

If "yes", explain on a separate signed page, including who was involved, the name of the public agency, the date of the investigation and the grounds for the finding.

15. Has Contractor's firm or any of its owners, officers or partners ever been convicted of a crime involving federal, state, or local law related to construction?

☐ Yes ☐ No

If "yes", explain on a separate signed page, including who was involved, the name of the public agency, the date of the conviction and the grounds for the conviction.

16. Has Contractor's firm or any of its owners, officers or partners ever been convicted of a federal or state crime of fraud, theft, or any other act of dishonesty?

☐ Yes ☐ No

If "yes", identify on a separate signed page the person(s) convicted, the court (the county if a state court, the district or location if a federal court), the year, and the criminal conduct.

Bonding

17. If Issued a Notice of Award, can the contractor secure payment and performance bonds within ten (10) calendar days?

☐ Yes ☐ No

Name of Bonding Company: _____

Name, Address, Telephone# for Surety Agent: _____

-
- C. Compliance with Occupational Safety and Health Laws and with Other Labor Legislation Safety

18. Has Cal-OSHA cited and assessed penalties against Contractor's firm for any "serious", "willful", or "repeat" violations of its safety or health regulations in the last five (5) years?

NOTE: If Contractor has filed an appeal of a citation, and the Occupational Safety and Health Appeals Board has not yet ruled on your appeal, Contractor need not include information about it.

☐ Yes ☐ No

If "yes", attach a separate signed page describing the citations, including information about the dates of the citations, the nature of the violation, the project on which the citation(s) was/were issued, and the amount of the penalty paid (if any). If the citation

was appealed to the Occupational Safety and Health Appeals Board and a decision has been issued, state the case number and the date of the decision.

19. Has the Federal Occupational Safety and Health Administration cited and assessed penalties against Contractor's firm in the last five (5) years?
NOTE: If Contractor has filed an appeal of a citation and the Appeals Board has not yet ruled on the appeal, or if there is a court appeal pending, Contractor need not include information about the citation.
☐ Yes ☐ No

If "yes", attach a separate signed page describing each citation.

20. Has the EPA or any Air Quality Management District or any Regional Water Quality Control Board cited and assessed penalties against either Contractor's firm or the owner of a project contracted to Contractor in the last five (5) years?
NOTE: If Contractor has filed an appeal of a citation and the Appeals Board has not yet ruled on the appeal, or if there is a court appeal pending, Contractor need not include information about the citation.
☐ Yes ☐ No

If "yes", attach a separate signed page describing each citation.

21. How often does Contractor require documented safety meetings to be held for construction employees and field supervisors during the course of a project?

22. List Contractor's Experience Modification Rate (EMR) (California's Workers' Compensation insurance) for each of the past three (3) premium years:
NOTE: An Experience Modification Rate is issued to Contractor annually by its workers' compensation insurance carrier.

Current year: _____

Previous year: _____

Year previous to previous year: _____

If Contractor's EMR for any of these three (3) years is or was 1.20 or higher, Contractor may, at its discretion, attach a letter of explanation.

Prevailing Wage and Apprenticeship Compliance Record

23. Provide the name, address and telephone number of the apprenticeship program (approved by the California Apprenticeship Council) from whom Contractor intends to request the dispatch of apprentices to Contractor for use on any public work project for which it is awarded a contract by the County of Mendocino:

SECTION 00306 - ANTITRUST CLAIM ASSIGNMENT

Pursuant to California Labor Code Section 7103.5, the following certification is hereby set forth and made a part of these specifications:

In entering into a public works contract or a subcontract to supply goods, services, or materials pursuant to a public works contract, the contractor or subcontractor offers and agrees to assign to the awarding body all rights, title, and interest in and to all causes of action it may have under Section 4 of the Clayton Act (15 U.S.C. Sec. 15) or under the Cartwright Act (Chapter 2 (commencing with Section 16700) of Part 2 of Division 7 of the Business and Professions Code), arising from purchases of goods, services, or materials pursuant to the public works contract or the subcontract. This assignment shall be made and become effective at the time the awarding body tenders final payment to the contractor, without further acknowledgment by the parties.

SECTION 00307 - NON-COLLUSION AFFIDAVIT

In accordance with California Public Contract Code Section 7106, the following affidavit must be completed by the Bidder:

Non-Collusion Affidavit to be executed by Bidder
and submitted with bid

State of California
County of Mendocino

_____, being first duly sworn,
deposes and says that he or she is _____ of
_____ the party making the foregoing bid that the bid
is not made in the interest of, or on behalf of, any undisclosed person, partnership,
company, association, organization, or corporation; that the bid is genuine and not
collusive or sham; that the bidder has not directly or indirectly induced or solicited any
other bidder to put in a false or sham bid, and has not directly or indirectly colluded,
conspired, connived, or agreed with any bidder or anyone else to put in a sham bid, or
that anyone shall refrain from bidding; that the bidder has not in any manner, directly or
indirectly, sought by agreement, communication, or conference with anyone to fix the bid
price of the bidder or any other bidder, or to fix any overhead, profit, or cost element of
the bid price, or of that of any other bidder, or to secure any advantage against the public
body awarding the contract of anyone interested in the proposed contract; that all
statements contained in the bid are true; and, further, that the bidder has not, directly or
indirectly, submitted his or her bid price or any breakdown thereof, or the contents
thereof, or divulged information or data relative thereto, or paid, and will not pay, any fee
to any corporation, partnership, company association, organization, bid depository, or to
any member or agent thereof to effectuate a collusive or sham bid.

Signature

SECTION 00308 – PUBLIC CONTRACT CODE QUESTIONNAIRE

In accordance with California Public Contract Code Section 7106, the following questionnaire must be completed by the Bidder:

Has the Bidder, any officer of the Bidder, or any employee of the Bidder who has a proprietary interest in the Bidder, ever been disqualified, removed, or otherwise prevented from bidding on or completing a federal, state, or local government project because of a violation of law or a safety regulation?

☐ Yes ☐ No

If 'yes', explain the circumstances in the space below.

SECTION 003100-BID FORM FOR MENDOCINO COUNTY

Covelo Airport Fencing Project

TO: Honorable Board of Supervisors

It is understood that this bid is based upon completion of the work within the time of completion requirements contained in the Instructions to Bidders.

It is agreed that this bid may not be withdrawn for a period of eighty (80) days from the opening hereof.

The undersigned has carefully checked all its figures and understands that the County will not be responsible for any error or omissions on the part of the undersigned in making up this bid.

If awarded the Contract, the undersigned agrees to complete the Work ninety (90) calendar days from the date of Notice to Proceed.

The undersigned, having become completely familiar with all conditions affecting the cost of the work at the place where the work is to be done, and with the drawings, specifications and other contract documents prepared and issued thereof and now on file at the General Services Agency Office, hereby proposes and agrees to perform everything required to be performed, and to provide and furnish any and all required labor, materials, equipment, transportation and services necessary to erect and complete in the best workmanlike manner, all as shown and specified.

The following bid amounts are as defined and clarified in the Bids Required portion of these specifications:

BASE BID:

_____ Dollars (\$_____)

ADDITIVE ALTERNATE No. 1

_____ Dollars (\$_____)

All bids shall include required California State Sales Tax, cost of all bonds and insurance as required and all other items of expense incidental to the contract. The County of Mendocino is exempt from Federal Excise Tax.

A licensed Contractor shall not submit a bid to a public agency unless its Contractor's License number appears clearly on the bid, the license expiration date is stated, and the bid contains a statement that the representations made therein are made under penalty of perjury. Any bid not containing this information, or a bid containing information which is subsequently proven false, shall be considered nonresponsive and shall be rejected by the public agency.

Name of Organization _____

Name of Organization_____

Type of Organization_____
(Corporation, Partnership, etc.)

Address_____

Name of State where incorporated_____

CONTRACTORS LICENSE NO. _____ EXPIRATION DATE_____

☐ **Contractor has registered with the State of California's DIR (Department of Industrial Relations) website.**

DIR Registration #: _____

☐ **Contractor is currently licensed to do business in the County of Mendocino.**

Mendocino County Business License #: _____

ADDENDA: CONTRACTOR TO ACKNOWLEDGE RECEIPT

I have received the following Addenda pertaining to this project and they have been included as part of my bid.

Numbers:_____

The undersigned hereby certifies under penalty of perjury that this bid is genuine and not collusive, that all the information is correct and that he/she has carefully checked all of the above figures and understands that the County will not be responsible for any errors or omissions on the part of the undersigned on making up this bid.

Signature _____

Corporate Seal

SECTION 00430 - SUBCONTRACTORS LISTING FORM

COVELO AIRPORT FENCING

In accordance with the provisions of Section 4100 *et seq.* of the Public Contract Code of the State of California, each bidder shall list below the name, license number, Department of Industrial Relations (DIR) Registration Number, and location of place of business of each subcontractor who will perform a portion of the contract work in an amount in excess of one-half of one percent (0.5%) of the total contract price. In each such instance, the nature and portion of the work to be subcontracted shall be described.

PORTION OF WORK	SUBCONTRACTOR'S NAME	CONTRACT LIC.	LOCATION
		DIR REG #	

SECTION 00500-AGREEMENT FOR LUMP SUM BID

THIS AGREEMENT, made effective on the date it becomes fully executed by all parties, between the County of Mendocino, hereinafter called COUNTY, and _____, hereinafter called CONTRACTOR.

COUNTY and CONTRACTOR, for the consideration described below named, agree as follows:

FIRST:CONTRACTOR shall furnish all labor, materials, equipment, mechanical workmanship, transportation, and services for the installation and completion of the **Covelo Airport Fencing Project**, in accordance with the contract documents, including the Addenda thereto, all as adopted by COUNTY.

SECOND: The work under this contract described below shall be completed within ninety (90) calendar days from the date of the "Notice to Proceed".

THIRD: The Contract consists of the following documents, all of which are fully a part hereof as if herein set out in full, whether or not hereto attached:

1. Invitation to Bid
2. Instructions to Bidders
3. Bidding Documents
4. Agreement
5. Construction Site Storm Water Policy
6. General Conditions
7. Unforeseen Physical Conditions
8. Summary of Work
9. Temporary Facilities and Building Services
10. Project Plans and Drawings
11. Technical Specifications
12. Addendum to the Bid

FOURTH: COUNTY shall pay to CONTRACTOR, if CONTRACTOR is successful bidder, as full consideration for the faithful performance of the Contract the sum of:

\$ _____

This sum constitutes the base bid and bids for the following alternate bids:

Payment shall be made each month to CONTRACTOR in accordance with and subject to the provisions embodied in the Documents made a part of this Contract.

IN WITNESS WHEREOF

Covelo Airport Fencing

AGREEMENT FOR LUMP SUM BID
005000-2

DEPARTMENT FISCAL REVIEW:

DEPARTMENT HEAD _____ DATE _____

Budgeted: ☐ Yes ☐ No

Budget Unit: _____

Line Item: _____

Grant: ☐ Yes ☐ No

Grant No.: _____

CONTRACTOR/COMPANY NAME:

By: _____

NAME AND ADDRESS OF CONTRACTOR:

COUNTY OF MENDOCINOBy: _____
TED WILLIAMS, Chair
BOARD OF SUPERVISORS

Date: _____

By signing above, signatory warrants and represents that he/she executed this Agreement in his/her authorized capacity and that by his/her signature on this Agreement, he/she or the entity upon behalf of which he/she acted, executed this Agreement

ATTEST:

DARCIE ANTLE, Clerk of said Board

By: _____
Deputy

I hereby certify that according to the provisions of Government Code section 25103, delivery of this document has been made.

DARCIE ANTLE, Clerk of said Board

By: _____
Deputy**COUNTY COUNSEL REVIEW:**

APPROVED AS TO FORM:

CHRISTIAN M. CURTIS,
County CounselBy: _____
Deputy

Date: _____

INSURANCE REVIEW:By: _____
Risk Management

Date: _____

EXECUTIVE OFFICE/FISCAL REVIEW:By: _____
Deputy CEO

Date: _____

Signatory Authority: \$0-25,000 Department; \$25,001- 50,000 Purchasing Agent; **\$50,001+ Board of Supervisors****Exception to Bid Process Required/Completed** ☐ _____**Mendocino County Business License: Valid** ☐**Exempt Pursuant to MCC Section:** _____

SECTION 00501 - WORKERS' COMPENSATION CERTIFICATION

Pursuant to California Labor Code Section 1861, the Contractor hereby certifies the following:

I am aware of the provisions of Section 3700 of the Labor Code which require every employer to be insured against liability for workers' compensation or to undertake self-insurance in accordance with the provisions of that code, and I will comply with such provisions before commencing the performance of the work of this contract.

Dated_____

Contractor Signature_____

SECTION 00510 - CONTRACTOR GUARANTEE FOR

Covelo Airport Fencing

Contractor hereby guarantees that the labor and material furnished for this project is in accordance with the drawings and specifications. Contractor agrees to repair or replace any or all of the work, together with any other adjacent work which may be displaced in so doing, that may prove to be defective in its workmanship or material within a period of ONE (1) YEAR from date of acceptance of the above named project by County without any expense whatsoever to County, ordinary wear and tear and unusual abuse or neglect excepted.

In the event of Contractor's failure to comply with the above-mentioned conditions within fifteen (15) calendar days after being notified in writing by County, Contractor authorizes County to proceed to have said defects repaired and made good at Contractor's expense. Contractor shall honor and pay the costs and charges therefore upon demand.

SIGNED_____

COUNTERSIGNED_____

CONTRACTOR_____

DATED_____

DATE OF BUILDING ACCEPTANCE_____

SECTION 00650 - CONSTRUCTION SITE STORM WATER POLICY

PART I – GENERAL

1.1 SUMMARY

- A. Mendocino County Ordinance No. 4313 STORM WATER RUNOFF POLLUTION PREVENTION PROCEDURE (Mendocino County Code Chapter 16.30 et.seq.) requires any person performing construction and grading work anywhere in the county shall implement appropriate Best Management Practices (BMP) to prevent the discharge of construction waste, debris, sediment or contaminants from construction materials, tools and equipment from entering the storm drainage system or natural waterways (off-site).
- B. By commencing work in this contract, the contractor agrees to comply with Mendocino County Code Section 16.30.140 Inspection and monitoring. The County may enter the worksite whenever necessary to perform inspections related to the Storm Water Runoff Pollution Prevention Procedures for the project including inspection of BMP's and records relating to storm water plan compliance.

1.2 SUBMITTALS

- A. Prior to beginning construction activities, submit construction site Best Management Practice (BMP) Plans and Specifications prepared by a Qualified Storm Water Developer (QSD) or the Contractor referencing Mendocino County Building and Planning Services Documents noted below:
 - 1. Construction Best Management Practices for over-the-counter building permits for projects that do not disturb any soil.
 - 2. Small Construction Site Storm Water Erosion and Sediment Control Plan Template for projects that will disturb any soil.
- B. Submittal shall include a project specific BMP plan for all areas of soil disturbance and possible contamination source generated by the project. Attach copies of the relevant current BMP fact sheets from the California Storm Water BMP Handbook Portal planned to address each potential source of contamination generated by the project.
- C. A County approved BMP plan is required prior to beginning work on the project.

Part 2 – PRODUCTS

2.1 MATERIALS

- A. Provide Materials in Compliance with Approve BMP fact sheets in appropriate quantities to mitigate possible runoff, sedimentation and/or contamination in accordance with the approved BMP plan.

Part 3 – EXECUTION

3.1 PREPARATION

- A. Prepare BMP schedule to identify dates when BMP's will be installed.
- B. Ensure that BMP Materials are on site in the event of an untimely rain event and prior to October 15th.
- C. Identify and mark Storm Drain Inlets and drainage features leading to storm drains or natural waterways.
- D. Identify and provide instruction and training to on site personnel responsible for installation and management of BMP's.

3.2 INSTALLATION

- A. Complete BMP installation Prior to October 1st or prior to ground disturbance activities between October 1st and April 15th, and call the project manager for an inspection of the installed BMP plan. Do not start grading activities without BMP's in place.
- B. Comply with installation guidelines included with BMP fact sheets and suitable to site conditions.
- C. Remove Contamination and Sediment BMP's after sources of sedimentation, or contamination have been removed from the site or final soil stabilization is complete. Do not remove Erosion Control BMP's until permanent Erosion Control features are established unless directed by the County.

3.3 INSPECTION

- A. It is the responsibility of the Contractor to provide regular inspection of BMP's throughout the rainy season. Maintain and replace all BMP's in accordance with the approve BMP plan.
- B. Prior to significant rain events, inspect installed BMP's to ensure all potential sources of contamination, sedimentation or erosion are protected by approved BMP's.
- C. During significant rain events verify that installed BMP's are adequate to the flows on the project site.
- D. Record inspection findings as required by approved BMP plan.
- E. Maintain Inspection records and a copy of the approved BMP plan on the project site for inspection by County and NCWRCB.

- F. Failure of the Contractor to comply with the requirements of these specifications and the provisions of the approved Storm Water pollution Prevention Plan or BMP plan may result in work stoppage, a written citation, monetary fine or any combination thereof.

END OF SECTION

SECTION 00700 - GENERAL CONDITIONS

1. DEFINITIONS

Whenever in the Specifications and other Contract Documents the following abbreviations and terms are used, the intent and meaning shall be interpreted as follows:

- A. "Owner" - Board of Supervisors, County of Mendocino, or its authorized agents or assignees.
- B. "Agent" - The Agent acting for the County, which shall be either the County General Services Agency Director or his/her designee, or the County Executive Officer or his/her designee.
- C. "Contractor" - The person or persons, partnership, corporation, or combination thereof, private or municipal, who have entered into a contract with the County, as party or parties of the second part or his/her or their legal representatives.
- D. "Specifications" - The directions, provisions and requirements contained in these Specifications as supplemented by the Supplementary Conditions. Whenever the term "These Specifications" is used in this book, it means the provisions as set forth in this book.
- E. "Paragraph" - The particular section of subdivision herein designated by a number.
- F. "Laboratory" - The designated laboratory authorized by the County to test materials and work involved in the Contract.
- G. In the case of conflict between the Standard Specification and these Specifications, these Specifications shall take precedence over and be used in lieu of such conflicting portions:
 - A.W.S. American Welding Society
 - A.S.T.M. American Society for Testing Materials
 - A.S.A. American Standard Association
 - N.B.F.U. National Board of Fire Underwriters
 - N.B.S. National Bureau of Standards
 - A.S.M.E. American Society of Mechanical Engineers
 - A.R.I. American Refrigeration Institute
 - N.E.M.A. National Electrical Manufacturers Association
 - U.L. Underwriter's Laboratories
 - E.T.L. Electrical Testing Laboratories
 - A.C.I. American Concrete Institute
 - F.A. Federal Specifications
 - A.I.S.C. American Institute of Steel Construction
- H. The County and the Contractor are those named as such in the Agreement. They are treated throughout the Contract Documents as if each were of the singular number and the masculine gender.
- I. When the words "Approved", "Satisfactory", or "Equal", "As Directed", etc. are used, approval by the County is understood.

- J. All Federal, State laws and local laws shall govern the construction of the Contract and all rules, ordinances and requirements of authorized officials shall be complied with.
- K. It is understood that any reference to the Specifications or designation of the American Society for Testing Materials, Federal Specifications or other standard, code, or order, refers to the most recent or latest amended specification or designation.

2. EXAMINATION OF PLANS AND SPECIFICATIONS

The Bidder shall examine carefully the site of the work contemplated and the proposal, plans, specifications, and Contract forms thereof. It will be assumed that the Bidder has investigated and is satisfied as to the conditions to be encountered, as to the character, quality, and quantities of work to be performed and material to be furnished, and as to the requirements of these Specifications.

3. DRAWINGS AND SPECIFICATIONS

- A. Figured dimensions on the drawings shall govern, but work not dimensioned shall be as directed. Work indicated but not particularly detailed or specified shall be equal to similar parts that are detailed or specified, or as directed. Full-size detailed shall take precedence over scale drawings as to shape and details of construction. It is intended that scale drawings, full-size details and specifications should agree, but should any discrepancy or apparent error occur in plans and specifications or should any work of others affect this work, the Contractor shall notify the County at once; if the Contractor proceeds with the work affected without instruction from the County he shall make good any resultant damage or defect.
- B. All misunderstandings of drawings or specifications shall be clarified by the County, whose decision shall be final.
- C. Any work called for by the drawings and not mentioned in the Specifications, or vice versa, is to be furnished as though fully set forth by both. Where not specifically stated otherwise, all work and materials necessary for each unit of construction, including special construction for any specific brand or shape of material called for even though only briefly mentioned or indicated, shall be furnished and installed fully and completely as a part of the Contract.
- D. Lists, rules and regulations referred to are recognized printed standard and shall be considered as one and a part of these Specifications within the limits specified.
- E. "General Conditions" apply with equal force to all of the work, including extra work authorized.
- F. For convenience, the Technical Specifications are arranged in Divisions and further divided into various sections. It is to be understood, this separation is for convenience of all parties involved and is not to be considered as the limits of the work required of any separate trade. The terms and conditions of such limitations are wholly between the County and the Contractors during bidding and construction phases; i.e., all work shown, as well as for the proper completion of the project as a whole, shall be coordinated by the Contractor and his Subcontractors during bidding and construction and shall be provided in this Contract.

4. CONDUCT OF WORK

- A. The County reserves the right to do other work in connection with the project by contract or otherwise. Contractor shall at all times conduct his work so as to impose no hardship on the County or others engaged in the work. Contractor shall adjust, correct, and coordinate his work with the work of others so that no discrepancies shall result in the whole work.
- B. The Contractor shall provide at his own cost and risk all labor, material, water, power tools, machinery, scaffolding, and framework for the execution of the work. Equipment shall be adequate and as approved.

The Contractor shall obtain all necessary measurements from the work and shall check dimensions, levels, and construction and layout and supervise the construction, for correctness of all of which he shall be responsible.

- C. Where work of one trade joins or is on other work, there shall be no discrepancy when same is completed. In engaging work with other materials, marring or damaging same shall not be permitted. Should improper work of any trade be covered by another which results in damage or defects, the whole work affected shall be made good without expense to the County.
- D. The Contractor must anticipate relation of all parts of the work and at the proper time furnish and set anchorage, blocking or bonding as required. Anchorage and blocking necessary for each trade shall be a part of same, except where stated otherwise.
- E. Assistance required by the County in obtaining measurements or information on the work shall be furnished accurately and fully without cost to the County.

5. OWNERSHIP OF DRAWINGS

All plans and specifications shall remain the property of the County and shall be returned to the office of the County Facilities and Fleet Division Manager or shall be accounted for by the Contractor before the final certificate will be issued.

6. PUBLIC AND COUNTY CONVENIENCE AND SAFETY

The Contractor shall furnish, erect, and maintain such fences, barriers, lights and signs as are necessary to give adequate warning to the public at all times and of any dangerous conditions until final acceptance of the work by the County.

7. ACCIDENT PREVENTION

- A. It shall be the Contractor's responsibility to keep himself fully informed of all existing and future safety regulations, Codes, OSHA requirements, and other laws and regulations governing the work which may in any manner affect anyone in and around the project or engaged or employed in the work, or materials, equipment, etc. used in the work or which in any way affect the conduct of the work.
- B. The Contractor shall appoint a Safety Officer for the project and submit his name to the County.

- C. The Contractor shall supply the County with a Material Safety Data Sheet (MSDS) on each hazardous substance to be used by the Contractor on the project.
- D. The Contractor and his Safety Officer shall be solely responsible for insuring compliance with those Codes, regulations, OSHA requirements, and for discovering and correcting any code violations or unsafe conditions.
- E. Reports of all lost-time accidents shall be promptly submitted to the Owner, giving all pertinent information.

8. RESPONSIBILITY FOR DAMAGE

The County shall not be answerable or accountable in any manner for: (1) any loss or damage that may happen to the work or any part thereof, for any loss or damage to any of the materials or other things used or employed in performing the work; (2) injury to or death of any person or persons, either workers or the public; (3) damage to property from any cause which might have been prevented by the Contractor or his workers or anyone employed by him. The Contractor shall be responsible for any liability imposed by law for injuries to or death of any person including, but not limited to, workers and the public or damage to property resulting from defects or obstructions or from any cause whatsoever during the progress of the work or at any time before its completion and final acceptance. The Contractor shall indemnify, save harmless and defend the County of Mendocino, its elected or appointed officers, agents, employees or volunteers connected with the work, from all claims or actions for injuries or death of any person, or damage to property, resulting from the Contractor's performance of the Contract. With respect to third party claims against the Contractor, the Contractor waives any and all rights to any type of express or implied indemnity against the County of Mendocino, its elected or appointed officers, agents, employees or volunteers.

In addition to any remedy authorized by law, so much of the money due the Contractor under and by virtue of the Contract as shall be considered necessary by the County may be retained by the County until disposition has been made of such suits or claims for damages as aforesaid.

9. LAWS TO BE OBSERVED

The Contractor shall keep himself fully informed of all existing and future State, Federal and local laws, codes and regulations which in any manner affect those engaged or employed in the work, or the materials used in the work, or which in any way affect the conduct of the work, and of all such orders and decrees of bodies and tribunals having any jurisdiction or authority over the same and shall be solely responsible for insuring compliance with those laws, codes and regulations.

A partial, though not necessarily complete listing of laws to be observed by the Contractor is as follows:

- A. Federal Americans with Disabilities Act of 1990.
- B. Federal Labor Standards Act.
- C. The Anti Kick-Back regulations found in 29 CFR Part 3.
- D. All contract clauses required by 29 CFR 5.5 (a) and (c), 20 U.S.C. 1232b ; 40 U.S. C. 276a, 276c, 327-332; 29 CFR Parts, (926).

- E. Nondiscrimination clause and Certification of Non-Segregated Facilities prescribed by Executive Order No. 11246, September 24, 1965 as amended by Executive Order 11375.
- F. Executive Order No. 11288 of July 7, 1966 (31 FR 9261) "Prevention, Control and Abatement of Water Pollution".
- G. Executive Order 11988, relating to evaluation of flood hazards.
- H. Compliance with all Federal, State and local requirements for handicapped access, fire safety and seismic resistance.

10. BONDS REQUIRED

The successful bidder shall furnish bonds as required in the document entitled "Instructions to Bidders" which is part of these Contract documents.

11. INSURANCE

The Contractor, at his expense, shall secure and maintain at all times during the entire period of performance under this Contract, insurance as set forth below with insurance companies acceptable to the County of Mendocino.

The Contractor shall provide to the County of Mendocino certificates of insurance with endorsements properly executed by an officer or authorized agent of the issuing insurance company evidencing coverage and provisions as stated below:

A. INSURED

Name the County of Mendocino, its elected or appointed officials, employees, agents and volunteers as additional insured with regard to damages and defense of claims arising from: (a) activities performed by or on behalf of the Named Insured, (b) products and completed operations of the Named Insured, (c) Premises owned, leased or used by the Named Insured, or (d) Ownership, operation, maintenance, use, loading or unloading of any vehicle owned, leased, hired or borrowed by the Named Insured, regardless of whether liability is attributable to the Named Insured or a combination of the Named Insured and the County of Mendocino, its elected or appointed officials, employees, agents and volunteers.

B. SEVERABILITY OF INTEREST

Provide that the inclusion of more than one named insured shall not operate to impair the rights of one insured against another insured, and the coverages afforded shall apply as though separate policies had been issued to each insured.

C. CONTRIBUTION NOT REQUIRED

Provide that as respects: (a) work performed by the Named Insured on behalf of the County of Mendocino; or (b) products sold by the Named Insured to the County of Mendocino; or (c) premises leased by the Named Insured from the County of Mendocino; or (d) ownership, operation, maintenance, use, loading or unloading of any vehicle owned, leased, hired or

borrowed by the Named Insured, the insurance afforded by this policy shall be primary insurance as respects the County of Mendocino, its elected or appointed officials, employees, agents and volunteers; or stand in an unbroken chain of coverage excess of the Named Insured's scheduled underlying primary coverage. In either event, any other insurance maintained by the County of Mendocino, its elected or appointed officials, employees, agents and volunteers shall be excess of this insurance and shall not contribute with it.

D. COVERAGE BELOW MINIMUM REQUIRED NOTICE

Provide that the limits of insurance afforded by this policy shall not fall below the minimum requirements of the County of Mendocino without notice to the County of Mendocino by certified mail return receipt requested. Such notice shall be addressed to: County of Mendocino, 501 Low Gap Road, Ukiah, Calif. 95482, Attn: Risk Management.

E. CANCELLATION NOTICE

Provide that the insurance afforded by this policy shall not be suspended, voided, canceled, non-renewed or reduced in coverage or in limits except after thirty (30) day's prior written notice, delivered in person or by First Class U.S. Mail, has been given to the County of Mendocino. Such notice shall be addressed to: County of Mendocino, 841 Low Gap Road, Ukiah, Calif. 95482, Attn: Risk Management.

Contractor shall furnish to the County of Mendocino certificate(s) of insurance evidencing Workers Compensation Insurance coverage to cover its employees. The Contractor shall require all subcontractors similarly to provide Workers Compensation Insurance as required by the Labor Code of the State of California for all of the Contractor's and subcontractors' employees.

The Contractor shall not commence work, nor shall he allow his employees or subcontractors or anyone to commence work until all insurance required and provisions contained herein have been submitted to and accepted by the County of Mendocino. Failure to submit proof of insurance as required herein may result in awarding said Contract to another bidder. Failure to comply with the insurance requirements set forth herein shall constitute a material breach of contract and, at County of Mendocino's option, shall subject this Contract to termination.

Insurance coverage in the minimum amounts set forth herein shall not be construed to relieve the Contractor for liability in excess of such coverage, nor shall it preclude the County of Mendocino from taking such other action as is available to it under any other provisions of this Contract or otherwise in law.

SCOPE OF LIABILITY COVERAGES

Contractor shall furnish to the County of Mendocino certificates of insurance evidencing at the minimum the following:

1. Public Liability-Bodily Injury (not auto) \$500,000 each person; \$1,000,000 each accident,
- and

Public Liability-Property Damage (not auto) \$500,000 each occurrence; \$1,000,000 aggregate.

---or---

Combined Single Limit Bodily Injury Liability and Property Damage Liability (not auto) \$1,000,000 each occurrence.

2. Vehicle-Bodily Injury \$500,000 each person, \$1,000,000 each occurrence,
and
Vehicle-Property Damage \$1,000,000 each occurrence.

---or---

Combined Single Limit Vehicle Bodily Injury and Property Damage Liability
\$1,000,000 each occurrence.

12. WORKERS COMPENSATION CERTIFICATION

Contractor certifies as follows:

"I am aware of the provisions of Section 3700 of the Labor Code which require every employer to be insured against liability for Workers Compensation or to undertake self-insurance in accordance with the provisions of that Code, and I will comply with such provisions before commencing the performance of the work of this Contract". (Labor Code Section 1861)

13. CONTRACTOR'S RESPONSIBILITY FOR WORK

Until the formal acceptance of the work by the County, the Contractor shall have the charge and care thereof and shall bear the risk of injury or damage to any part thereof or to materials or thing employed in doing the work or stored on the site by the action of the elements or from any other cause, whether arising from the execution or from the non-execution of the work. The Contractor shall rebuild, repair, restore, replace, and make good all injuries or damages to any portion of the work occasioned by any of the above caused before final acceptance and shall bear the expense thereof, except such injuries or damages occasioned by acts of the Federal Government or the public enemy. The Contractor's responsibility also extends to adjoining property as related to the construction operation.

14. RESPONSIBILITY OF COUNTY

The County shall not be held responsible for the care or protection of any material or parts of the work prior to final acceptance, except as expressly provided in these Specifications.

15. COOPERATION BETWEEN CONTRACTORS

Where two or more contractors are employed on related or adjacent work, each shall conduct his operations in such a manner as not to cause any unnecessary delay or hindrance to the other. Each contractor shall be responsible to the other for all damage to work, to person or property, or for loss caused by failure to furnish the work within the time specified for completion.

Should the Contractor, through acts of neglect on the part of any Contractor, suffer loss or damage to the Work, the Contractor agrees to settle with such other Contractor by agreement. If such other Contractor should file claim against the County on account of alleged damages to be sustained, the

County shall notify the Contractor who shall, at his expense, indemnify and save harmless the County against any such claim.

16. SUBCONTRACTING AND ASSIGNMENT

The Contractor shall give his personal attention to the fulfillment of the Contract and shall keep the work under his control. Should the Contractor subcontract any part of his Contract, the Contractor shall be fully responsible to the County for the acts and omissions of his subcontractor and of the persons either directly or indirectly employed by the subcontractor as he is for the acts and omissions of persons directly employed by himself.

No subcontractor will be recognized as such, and all persons engaged in the work on construction shall be considered as employees of the Contractor.

17. PERMITS AND LICENSES

The Contractor shall procure all permits and licenses, pay all charges and fees, and file all notices necessary and incidental to the due and lawful prosecution of the work.

18. PATENTS

The Contractor shall assume all responsibilities arising from the use of patented materials, equipment, devices or processes used on or incorporated in the work.

19. LIENS

Liens shall be enforced as provided by California State Law pertaining to Public Works.

20. CHANGES IN THE WORK

- A. The County may order changes in the work, in which event the Contract sum shall be adjusted by one or more, or a combination of, the following methods:
1. Unit bid prices previously approved or as may be agreed upon.
 2. An agreed lump sum substantiated by Contractor, itemizing labor, material, equipment, overhead, profit, bond, etc.
 3. By ordering Contractor to proceed with work and keep correct account with vouchers the actual cost of:
 - a. Labor, including foreman;
 - b. Materials entering permanently into the work;
 - c. The ownership or rental cost of construction plant and equipment during the time of use on the extra work;
 - d. Power and consumable supplies for the operation of power equipment;
 - e. Insurance;
 - f. Social Security and old age and employment contribution.

- B. To the cost under (2) and (3), there may be added a fixed fee to be agreed upon but not to exceed fifteen percent (15%) for the estimated cost of the work. The fee shall be compensation to cover the cost of administrative overhead, and profit.
- C. On changes which involve a credit to the County, no allowances for overhead need be figured.
- D. All such change orders and adjustments shall be in writing. Claims by Contractor for extra cost shall be made in writing before executing the work involved.
- E. All change orders shall be reviewed and approved by the County.

21. COUNTY'S RIGHT TO TERMINATE CONTRACT

If the Contractor should refuse or neglect to properly perform or prosecute the work or if he should substantially violate any provision of the Contract, then the County may, without prejudice to any other right or remedy upon seven (7) days written notice to the Contractor, terminate the services of the Contractor and take possession of the premises, and all materials, tools, and equipment thereon and complete the work. The expense thereof shall be deducted from the balance otherwise due the Contractor. If such expense should exceed such unpaid balance, then the Contractor shall pay the difference to the County.

22. CONTRACTOR'S RIGHT TO STOP WORK OR TERMINATE CONTRACT

If the work is stopped for a period of thirty (30) days under an order of any court or other public authority having jurisdiction, or as a result of an act of government, such as a declaration of a national emergency making materials unavailable, through no act or fault of the Contractor or a Subcontractor or their agents or employees or any other persons performing any of the work under a contract with the Contractor, or if the work should be stopped for a period of thirty (30) days by the Contractor because no certificate for payment has issued as provided in Paragraph 25 or because the County has not made payment thereon as provided in Paragraph 25, then the Contractor may, upon seven (7) additional days' written notice to the County, terminate the Contract and recover from the County payment for all work executed and for any proven loss sustained upon any materials, equipment, tools, construction equipment and machinery, including reasonable profit and damages.

23. TIME OF COMPLETION AND LIQUIDATED DAMAGES

- A. In case all the work called for under the Contract is not completed before or upon the expiration of the time limit as set forth in these specifications, damage will be sustained by the County, and it is impracticable to determine the actual damage which the County will sustain in the event of and by reason of such delay. It is therefore agreed that the Contractor will pay to the County the sum of money per calendar day for each day's delay beyond the time prescribed as required in the document entitled "Instructions to Bidders", which is a part of these Contract Documents. The Contractor agrees to pay such liquidated damages as herein provided, and in case the same are not paid, agrees that the County may deduct the amount thereof from any money due or that may become due the Contractor under the Contract.
- B. In case the work called for under the Contract is not finished and completed in all parts and requirements within the time specified, the County shall have the right to extend the time for completion or not, as may best serve the interest of the County. If the County decides to

extend the time limit for the completion of the Contract, the County shall further have the right to charge the Contractor, his heirs, assigns or sureties, and to deduct from the final payment for the work, all or any part, as it may deem proper, of the actual cost of County, including inspections, superintendence, and other overhead expenses directly chargeable to the Contract, and which accrue during the period of such extension. The cost of final inspections shall not be included in such charges.

- C. The Contractor shall not be assessed with liquidated damages nor the cost of County's services and inspection during any delay in the completion of the work caused by acts of God or the public enemy, acts of the County, fire, flood, earthquake, epidemics, quarantine restrictions, strikes, freight embargoes, shortages of materials, labor, fixtures or equipment (provided the Contractor furnishes satisfactory and acceptable proof that he has made diligent attempts to obtain same) and unusually severe weather or delays of subcontractors due to such causes, provided the Contractor shall within ten (10) days from the beginning of such delay notify the County in writing of the delay. County's findings of fact thereon shall be final and conclusive.
- D. The County agrees that changes in work ordered pursuant to Paragraph 20 and extensions of completion time made necessary by reasons thereof, shall in no way release any guarantee given by the Contractor or the Contract let hereunder, nor shall such changes in the work relieve or release the sureties on bonds executed pursuant to these specifications. Sureties shall be deemed to have expressly agreed to any change in the work and to any extension of time made by reason thereof.

24. ACCEPTANCE

- A. The Contract will be accepted as completed only when the whole and entire Contract shall have been completed satisfactorily to the County. In judging the work, no allowance for deviations from the original plans and specifications will be made unless already approved in writing at proper times and in a manner as called for herein.
- B. Should it become necessary to occupy a portion of the work before the Contract is fully completed, such occupancy shall not constitute acceptance.

25. PARTIAL PAYMENTS

Prior to submitting and as a condition of approval of the first progress payment application, the Contractor shall submit a schedule of values acceptable to the County providing a breakdown of the contract value by trade division such that the County can accurately assess the percentage completion of the project.

On the twenty-fifth (25th) day of each month, the Contractor shall submit to the County an application for payment, on a form acceptable to the County, showing an itemized statement for work that has been performed on a percent complete basis based on the previously approved schedule of values. The County within thirty (30) days of receipt of application that meets the County's approval shall issue to the Contractor a certificate for ninety percent (95%) of the amount the County finds due for work that has been performed.

Contractor shall submit certified copy of payroll showing payment of Davis-Bacon Act wages with each request for payment submitted.

26. FINAL PAYMENT

Upon completion of the Contract, the County will cause to be made a final estimate of the amount of work done, and the value of such work. After approval by the County representative, the County shall pay the remainder due on the contract (with the exception of retainage) after deducting there from, all previous payments. All amounts retained (retainage) under the provisions of the Contract shall be due and payable 30 days from the date of acceptance in writing of the completion of Contract and / or Notice of Completion issued by the County representative. All prior partial estimates and payments shall be subject to correction in the final estimate and payments. Payment and the final estimate is due within thirty-five (35) days from the recorded date of the Notice of Completion, provided all as-built drawings, equipment manuals, instructions to the owner and guarantees have been received and accepted by the County.

27. PAYMENT WITHHELD

The County may withhold or, on account of subsequently discovered evidence, may nullify the whole or part of any certificates to such extent as may be necessary to protect the County from (1) defective work not remedied, (2) asserted claims against Contractor, (3) failure of the Contractor to make payments properly to employees or for material or labor, (4) any reasonable doubt that the Contract work can be completed for the balance then unpaid, or (5) damage to another contractor.

28. FAULTY WORK AND MATERIALS

The Contractor shall promptly remove from the premises all materials condemned by the County as failing to conform to the Contract, whether incorporated in the work or not. The Contractor shall promptly replace and re-execute his own work in accordance with the Contract and without expense to the County. The Contractor shall bear the expense of making good all work of other contractors destroyed or damaged by such removal.

If the Contractor does not remove such condemned work and materials within reasonable time, fixed by written notice, the County may remove them and may store the materials at the expense of the Contractor. If the Contractor does not pay the expenses of such removal within ten (10) days thereafter, the County may upon ten (10) days written notice, sell such materials at auction or at private sales and shall account for the net proceeds thereof after deducting all costs and expenses that should have been borne by the Contractor.

29. TEMPORARY SUSPENSION OF WORK

The County shall have the authority to suspend the work wholly or in part, for such period as it may deem necessary, due to unsuitable weather or to such other conditions as are considered unfavorable for the suitable progression of the work, or for such time as it may deem necessary due to the failure of the Contractor to carry out orders given by County, or to perform any provision of the Contract. The Contractor shall immediately obey such order of the County and shall not resume work until ordered in writing by the County.

30. SAMPLES

When requested, the Contractor shall submit for the County's review samples of the various materials, together with the finish thereof, as specified for and intended for use in the work. Samples of bulk materials shall be selected by the lab. All materials and workmanship shall in all respects be equal to the samples so submitted and reviewed. Samples shall be sent or delivered to

the County, samples and delivery charges paid by Contractor. Samples will be returned to the Contractor if requested, shipping or delivery charges collect.

31. CLEANING AND REMOVAL OF DEBRIS

The Contractor shall, as directed by the County during the progress of the work or as indicated elsewhere in these documents, remove and properly dispose of dirt and debris and shall keep the premises reasonably clean. Upon completion of the work, the Contractor shall remove all of his equipment and unused materials provided for the work, and shall put the building and appurtenances in a neat and clean condition and shall do all cleaning and washing required by the specifications.

32. OBSTRUCTIONS

The Contractor may be required to work around public utility facilities and other improvements which are to remain in place within the construction area. The Contractor shall be held liable to the owners of such facilities and improvements for any damage or interference with service resulting from the Contractor's operation.

The exact location of underground facilities and improvements within the construction area, whether shown on the drawings or not, shall be ascertained by the Contractor before using equipment that may damage such facilities or interfere with their service.

33. SUPERINTENDENT IN CHARGE

The Contractor shall keep on the work at all times and until the acceptance certificate is issued a competent superintendent or foreman for the purpose of receiving and executing without delay any orders from County in keeping with the terms of the Contract. This foreman shall have charge of the plans and specifications kept on the job. He shall be instructed to familiarize himself closely with all provisions of the plans and specifications and to follow the same accurately.

34. STORAGE OF MATERIALS AND EQUIPMENT

Materials and equipment shall not be stockpiled or placed outside of the site property lines unless written permission is obtained by the appropriate owner or political subdivision having jurisdiction over the adjacent property, roads, streets, etc.

35. GENERAL GUARANTY

Neither the final payment nor any partial payment, nor partial or entire use of the premises by occupancy by the County shall constitute an acceptance of the work not completed in accordance with the Contract. Final Payment or partial payment or partial or entire use of the premises by occupancy shall not relieve the Contractor of liability with respect to any warranties or responsibilities for faulty materials or workmanship. The Contractor shall remedy any defect in the work and pay for any damage to other work resulting therefrom which shall appear within a period of one (1) year from the date of final acceptance of the work, unless a longer period is specified elsewhere in these specifications. The County shall notify the Contractor of observed defects with reasonable promptness.

36. MATERIALS SUBMITTALS AND SUBSTITUTIONS

Materials and substitutions shall be governed by the relevant sections elsewhere in these documents. If not specified, the following shall govern.

- A. Specific reference to materials, appliances, fixtures and equipment by trade name is intended to be used as standard, but this implies no right on the part of the Contractor to use other materials, fixtures, appliances, equipment, until reviewed by the County.
- B. The County alone shall determine what will be considered as equal, but the burden of proof as to quality, utility and function, etc. shall be upon the Contractor.

If the Contractor desires to substitute any item, he shall in writing state the cost of such item and the original item named in the specifications if requested and shall submit a substitution warranty in the format shown in the specifications.

- C. As soon as practicable and within twenty (20) days after official award of Contract and before any fixtures, materials or equipment are purchased, the Contractor shall submit to the County a complete list of materials, fixtures and equipment giving the manufacturers' names, catalog numbers, etc., and, when requested, the original and substitute item of each article which he proposes to install as a substitution.
- D. Requests for substitution will not be considered after the above period of time unless the item specified is not obtainable or, in the opinion of the County, such substitution would serve the County's interest.

37. CONSTRUCTION, MATERIAL AND LABOR COST SCHEDULES

- A. The successful Contractor shall submit the following schedules to the County within ten (10) days after commencing the work:
 - 1. A construction schedule indicating the start and finish of each phase of the work.
 - 2. A detailed statement of the cost of material and labor included in the original estimate for each phase of the work so arranged that the value of the work as it progresses may be readily determined.

38. CONFERENCES

At any time during the progress of the work, the County may request the Contractor to attend a conference of any or all of the Contractors engaged on the work, and any notice of such conference shall be duly observed and complied with by the Contractor.

39. INSPECTION AND PAYMENTS - NOT ACCEPTABLE

The fact that the work and materials have been inspected by the County of Mendocino and payments on account have been made does not relieve the Contractor from the responsibility of replacing and making good any defective work or materials that may be discovered within one (1) year from the date of the completion of the work by the Contractor and its acceptance by the County. [Five (5) years for roof.]

40. RETURN OF DRAWINGS AND SPECIFICATIONS

All plans and specifications shall be returned to the Office of the County Director of General Services or shall be accounted for by the Contractor before the final certificate will be issued.

41. ARRANGEMENT OF SPECIFICATION SECTION

- A. For convenience, these specifications are arranged in several sections, but such separation shall not be considered as limiting any work required to a particular trade. The Contractor shall in cooperation with other contractors establish responsibility for any work required by the plans and specifications which may be improperly arranged or not included in the appropriate section.
- B. In areas where one trade meets another for joining, the Contractor is responsible to be certain that all work shown is included in his bid.

42. QUALITY OF MATERIALS AND LABOR

All materials used on this Contract shall be new and the best market quality, unless specified or shown otherwise. All labor used on this Contract shall be competent and skilled for the work. All work executed under this Contract shall be done in the best, most thorough, substantial and workmanlike manner.

All material and labor not meeting these standards shall be removed. The County may refuse to issue any certificate of payment until all defective materials or work have been removed, and other material of proper quality substituted therefor.

43. INCOMPETENT WORKERS

If at any time any foreman or worker who shall be employed by the Contractor shall be declared by the County to be incompetent or unfaithful in executing the work, the Contractor, on receiving written notice, shall forthwith initiate appropriate action to dismiss such person from the work.

44. COUNTY TO DECIDE

All matters of color, texture, design, interpretation of plans and specifications shall be referred by the Contractor to County, whose decision thereon shall be final.

45. CODES

All work and materials shall be in full accordance with the latest rules and regulations of the State Fire Marshal; the Safety Orders of the Division of Industrial Safety; the California Electric Code; the California Building Code; California Mechanical Code; the California Fire and Plumbing Codes; OSHA and other applicable State and local codes and laws. Nothing in these plans or specifications is to be construed to permit work not conforming to these Codes.

46. PAYMENT OF FEDERAL, STATE OR LOCAL TAXES

Any Federal, State or Local tax payable on articles furnished by the Contractor under the Contract shall be included in the Contract price and paid by the Contractor.

47. LIMITATIONS OF HOURS OF WORK

Eight (8) hours labor constitutes a legal day's work. The Contractor shall forfeit as a penalty \$25.00 for each worker employed in the execution of the Contract by the Contractor for each calendar day which such worker is required or permitted to work more than eight (8) hours in one (1) calendar day and forty (40) hours in any one (1) calendar week in violation of the provisions of the California Labor Code, and in particular Sections 1810 and 1816. Work performed by employees of Contractors in excess of eight (8) hours per day and forty (40) hours during any one (1) week, shall be permitted upon compensation for all hours worked in excess of eight (8) hours per day at not less than one and one-half (1 & 1/2) times the basic rate of pay, as provided in Section 1815.]

48. PAYMENT OF NOT LESS THAN THE GENERAL PREVAILING RATE OF PER DIEM WAGES

- A. The Contractor shall pay his workers on all work included in this Contract not less than the general prevailing rate of per diem wages for legal holiday and overtime work in said locality. Such per diem wages shall not be less than the stipulated rates contained in a schedule thereof which has been ascertained and determined by the State Director of Industrial Relations to be the general prevailing rate of per diem wages for each craft or type of worker needed to execute this Contract.
- B. The Contractor shall comply with Labor Code Section 1775. In accordance with Section 1775, the Contractor shall forfeit as a penalty twenty-five dollars (\$25.00) for each calendar day or portion thereof, for each worker paid less than the stipulated prevailing rates for such work or craft in which such worker is employed for any work done under the Contract in violation of the provisions of the Labor Code in particular Labor Code Sections 1770 and 1780. In addition to said penalty, and pursuant to Section 1775, the difference between such stipulated prevailing wage rates and the amount paid to each worker for each calendar day or portion thereof for which each worker was paid less than the stipulated prevailing wage rate shall be paid to each worker by the Contractor.

49. LABOR CODE CLARIFICATION

It is to be understood that references to the California Labor Code shall mean the current Code or as may be amended during the period of the Contract.

50. NOTIFICATION OF READINESS FOR REQUIRED TESTS AND INSPECTIONS

The Contractor shall be responsible to notify all inspectors, testing agencies, and County representatives a minimum of seventy-two (72) hours before required tests and/or inspections.

51. RESPONSIBILITY FOR PROJECT SAFETY AND CONSTRUCTION TECHNIQUES

Specifically omitted from the services of the County are all design and construction review services relating to the Contractor's safety precautions or to means, methods, techniques, sequences, or procedures required for the Contractor to perform his work.

Omitted services include, but are not limited to, shoring, scaffolding, underpinning, temporary retainment of excavations and any erection methods and bracing.

52. RECORD DRAWINGS

- A. The Contractor shall furnish one complete set of clean "Record" drawings to the County prior to project acceptance, showing clearly any changes made during construction. Record drawings shall be in accordance with Section 017839 Project Record Documents..
- B. In addition to any changes, all mechanical, electrical and plumbing items concealed in the building and underground, actually installed and routed. Depth below surface to top of underground item shall be indicated.
- C. All underground items shall be dimensioned from permanent reference points in a manner that they can be easily found in the field at a later time.
- D. Each sheet of the "Record" drawings shall be identified with the following label to be signed by the Contractor:

These are record drawings which have been prepared or supervised by the undersigned.

Contractor

Date

- E. The Contractor is solely responsible for the preparation, completeness, and accuracy of the "Record" drawings. The County and its representatives are not responsible to review the "Record" drawings.

53. OCCUPANCY OR USE BEFORE ACCEPTANCE OF COMPLETION

The County may occupy any building or portion thereof or use any improvement contemplated by the Contract prior to the completion of the entire work. A list of work to be completed and corrected by the Contractor, if any, shall be prepared and agreed to between the County and the Contractor before occupancy or use. Such occupancy or use shall not operate as an acceptance of any part of the work but shall start the guaranty-warranty period on the structure or portion thereof so occupied or improvement of equipment so used, provided, however, that such occupancy shall not start the guaranty-warranty period as to items appearing on the list of work to be completed and corrected. No such occupancy or use shall be deemed to have occurred unless and until the County has given the Contractor formal written notice of intention to so occupy or use, specifying the portion or portions of the structure, improvement or equipment which will be deemed so occupied or used.

54. COMPLIANCE WITH HANDICAPPED ACCESS LAWS

- A. It is the County's intent for all features on these plans and specifications to conform to applicable regulations for the accommodations of physically handicapped persons in buildings and facilities used by the public, whether or not said plans and specifications so conform.
- B. It shall be the responsibility of the manufacturers, suppliers and distributors to insure that all manufactured and fabricated products, devices and items they supply for this project conform to applicable regulations of Title 24 of the California Code of Regulations.
- C. When shop drawings and/or manufacturers product literature, and other matters subject to handicapped regulations are submitted to County, the following shall be provided:

1. Statement that the item shown complies with the handicapped regulations of Title 24 of the California Code of Regulations.

2. Show all required dimensions, heights, clearances, and locations that must be followed when items are installed on project.

55. CONTRACT AMBIGUITY

This Contract shall be deemed to have been prepared jointly by the parties signing the Contract and if any inconsistencies or ambiguities exist, they shall not be interpreted or construed against any of the parties as the drafter.

56. FAIR EMPLOYMENT PRACTICES/NONDISCRIMINATION

The Contractor shall comply with Federal and State Fair Employment Practices provisions.

The Contractor, in connection with performance of work under this agreement, agrees to comply with the rules and regulations which deal with or relate to nondiscrimination set forth as follows:

- A. During the performance of this Contract, the Contractor and its subcontractors shall not deny the Contract's benefits to any person on the basis of race, religious creed, color, national origin, ancestry, physical disability, mental disability, medical condition, marital status, sex or age, nor shall they discriminate unlawfully against any employee or applicant for employment because of race, religious creed, color, national origin, ancestry, physical disability, mental disability, medical condition, marital status, age, or sex. Contractor shall insure that the evaluation and treatment of employees and applicants for employment are free of such discrimination.
- B. The Contractor shall comply with the provisions of the California Fair Employment and Housing Act (Gov. Code, sections 12900 *et seq.*), the regulations promulgated thereunder (2 Cal. Code of Regulations sections 7285.0 *et seq.*), and Government Code Sections 11135 - 11139.5).
- C. The Contractor shall permit access by representatives of the Department of Fair Employment and Housing and the County upon reasonable notice at any time during the normal business hours, but in no case less than 24 hours notice, to view such of its books, records, accounts, other sources of information and its facilities as said Department or County shall require to ascertain compliance with this clause.
- D. The Contractor and its subcontractors shall give written notice of their obligations under this clause to labor organizations with which they have a collective bargaining or other agreement.
- E. The Contractor shall include the above nondiscrimination and compliance provisions in above subparagraphs A and B in all subcontracts to perform work under the Contract.

END OF SECTION

SECTION 00811- UNFORESEEN PHYSICAL CONDITIONS

PART 1 - GENERAL

1.1 SUMMARY

This Section includes special requirements for unforeseen hidden conditions, differing site conditions and underground facilities as required for California Public Works Contracts.

1.2 UNFORESEEN SITE CONDITIONS

A. Pursuant to Section 7104 of the California Public Contract Code, if any of the following conditions, hereinafter called hidden conditions, are encountered at the site, then Contractor shall promptly, before such conditions are disturbed and in no event later than three (3) days after discovery, notify County in writing using the "Hidden Conditions Report" attached to this Document:

1. Material that Contractor believes may be hazardous waste material, as defined in Section 25117 of the Health and Safety Code, that is required to be removed to a Class I, Class II, or a Class III disposal site in accordance with provisions of existing law.
2. Subsurface or latent physical conditions at the site or in the building differing materially from those represented in the Contract Documents.
3. Unknown physical conditions at the site of any unusual nature, different materially from those ordinarily encountered and generally recognized as inherent in work of the character provided for in the Contract Documents or conditions that could be observed by examination of the site and the Reference Documents.

B. Conditions that are not unforeseen, hidden, unknown or differing site and building conditions include but are not limited to, the following.

1. All that is indicated in or reasonably interpreted from the Contract Documents.
2. All that is indicated in or reasonably interpreted from the Reference Documents specified in Section 01010, "Summary of Work".
3. All that could be seen on site and that could be observed.
4. Conditions that are materially similar or characteristically the same.
5. Conditions where the location of the building component is in the proximity where indicated in or reasonably interpreted from the Contract Documents or Reference Documents.

C. County will promptly investigate the conditions reported which appear to be unforeseen conditions.

1. If County determines that the reported conditions are inherent in work of the character provided for in the Contract Documents or observed by examination of the site and Reference Documents, or that the condition is not hidden, unforeseen or materially different, Contractor shall execute the Work at no additional cost to County.
 2. If County determines that the conditions are hidden or differing conditions and that they will materially cause a decrease or increase in Contractor's cost of any portion of the work, a Contract Modification will be issued for compensation of such portion of the work as provided in the General Conditions.
 3. If County determines that the conditions are hidden or differing conditions and that they will materially affect the performance time, Contractor, upon submitting a written request, will be granted an extension of time subject to the provisions of the General Conditions.
 - a. Time extensions or contract costs will not be granted for delays that could be or could have been avoided by Contractor redirecting his forces and equipment to perform other work on the Contract.
- D. Should Contractor disagree with County's determination, Contractor shall submit a Request for Change (RFC) to County that the condition is not indicated in or reasonably interpreted from the Contract Documents, and that the condition is not similar in character to the material that could have been observed by examination of the site and Reference Drawings, but that the condition is materially different and the condition is unforeseen and unknown.
1. Contractor shall submit proof with written explanation, drawings, photographs, material and labor cost breakdowns, and other relevant data to show the condition.
 2. County will review Contractor's submission and make a determination. Contractor shall not file for claim or RFC before County makes the determination.
 3. In the event of continued disagreement, Contractor shall not be excused from any scheduled completion date provided for by the Contract, but shall proceed with all work to be performed under the Contract.
 4. Contractor shall retain any and all rights provided either by the Contract or by law which pertain to the resolution of RFC and protests between the contracting parties.

1.3 REMOVAL, RELOCATION, OR PROTECTION OF EXISTING UTILITIES

- A. In accordance with the provisions of Section 4215 of the California Government Code, County will assume the responsibility for the removal, relocation, or protection of existing main or trunk-line utilities located on the site of the Contract work, if such utilities are not identified in the Contract Documents.

- B. Contractor shall immediately notify County and the public utility in writing of such utility facilities it discovers while performing the work which are not identified in the Contract Documents.
 - 1. Contractor shall negotiate with the owner of the utility, who shall have the sole discretion to perform repairs or relocation work or permit Contractor to do such repairs or relocation work at a reasonable price.
- C. Contractor shall not be assessed liquidated damages for delay in Substantial Completion if the delay was caused by such existing utilities in direct conflict with the work and not shown on the Drawings.
- D. Contractor will be compensated under the provisions of Article 7 for extra work involving existing utilities not shown on the Drawings or included in the Specifications but in direct physical conflict with Contractor's operations.
 - 1. This extra work shall include the following costs:
 - a. Locating, supporting, working around, and protecting or repairing damage not due to the failure of Contractor to exercise reasonable care.
 - b. Removing and relocating, as directed by County, existing main or trunk line utility facilities located on site but not indicated on the Drawings and Specifications with reasonable accuracy.
 - c. Equipment on the project necessarily idled during such work.
- E. Contractor shall not be entitled to any adjustment in the Contract Sum or Time if the existence of such condition:
 - 1. Could have been reasonably discovered or revealed as a result of any examination, investigation, exploration, test or study of the site and contiguous areas required by the Contract Documents to be conducted by or for Contractor prior to commencing such work, or
 - 2. Could have been inferred from the presence of other visible facilities, such as buildings, meter and junction boxes, on or adjacent to the work site.

PART 2 - PRODUCTS

NOT USED

PART 3 - EXECUTION

NOT USED

Mendocino County Covelo Airport Fencing	HCR	No.
---	-----	-----

Ctr to PM	PM to Arch	Arch to PM	PM to Ctr
-----------	------------	------------	-----------

Date Received: _____

☐ Site Work ☐ Structural ☐ Architectural ☐ HVAC
☐ Plumbing ☐ Fire Protection ☐ Electrical ☐ Other

Conditions Reported: _____

☐ Check this box if the hidden condition reported is not hidden. Reply with location(s) where the information can be obtained.

By: _____ Firm: _____ Date: _____

Covelo Airport Fencing

00811-4

SECTION 00851-DRAWINGS INDEX

A101 SITE PLAN
A102 SITE DETAILS

END OF SECTION 008510

SECTION 01010 - SUMMARY OF WORK

PART 1 - GENERAL

1.1 SUMMARY

- A. The General Conditions and Division 1 - General Requirements apply to the Work of all Sections.
- B. Contractor is hereby specifically directed to notify and apprise all subcontractors and other parties engaged in the Work as to the Contents of the General Conditions and Division 1 - General Requirements.

1.2 WORK COVERED BY CONTRACT DOCUMENTS

- A. The Work shall be performed at a Project site located in Mendocino County at 22830 Airport Rd, Covelo, County of Mendocino.
- B. The Work of this Contract comprises installing of a fence around the Covelo Airport as per the Scope of Work below:

Scope of Work:

1. Work shall include but is not limited to, installing of fence (Covelo Airport) and the demolition and removal of any existing fence in the path way of fence install work as per plan set.
2. Additional requirements of all parties to the Contract are included in the General Conditions and Technical Specifications of the Project Manual.
3. If certain features or systems are not fully shown or called for in the Contract Documents, their construction shall be of the same character and quality as for similar conditions that are shown, called for, or reasonably inferred.
4. Contractor shall provide all labor, equipment, and materials that are required to provide a complete properly operating and safe site. The extent of the work as indicated on the Drawings and as described in the Specifications shall include all that may be reasonably inferred to be required for proper execution or installation of work and for complete systems.
5. Should the General Conditions or Contract Documents contradict themselves, Contractor shall provide the more stringent or higher quality or quantity unless otherwise accepted by County.
6. The Drawings shall be recognized as diagrammatic in nature and not completely descriptive of all requirements for construction. Whatever work may be specified, and not drawn, or drawn and not specified, is to be executed as fully as if described in both these ways; and should any workmanship or material be necessary which is not either directly or indirectly noted in these specifications, or shown on the Drawings, but is nevertheless necessary for the purpose of properly carrying out the obvious intention thereof, Contractor is to understand the same to be implied, and is to provide for the same in its bid, as fully as if it were particularly described or delineated.

1.3 TYPE OF CONTRACT

- A. Contractor shall construct the Work under a single fixed-price Contract incorporating segregated lump sum prices for various optional portions of the Work.

1. Where the term "Contractor" is used in the Specification, the General Contractor is referred to.
2. Where the terms "Plumbing Contractor," "Electrical Contractor," etc., are used, it has been for convenience only and in no way affects the overall responsibility of the General Contractor.

1.4 PRECEDENCE OF DOCUMENTS

- A. In the case of discrepancy or ambiguity in the Contract Documents the following order of precedence shall prevail:
 1. Modifications in inverse chronological order and in alphanumeric order.
 2. Signed Agreement and terms and conditions referenced in the Signed Agreement.
 3. Supplemental Conditions.
 4. General Conditions.
 5. Division 1 specifications.
 6. Drawings and Division 2 through 16 specifications.
 7. Written numbers and figures, unless obviously incorrect.
 8. Figured dimensions over scaled dimensions.
 9. Large format drawings over small-scale drawings.
- B. Any conflict between the Drawings and Division 2 through 16 specifications will be resolved in favor of the document of the latest date (i.e., the most recent document), and if the dates are not the same or are not determinable, then in favor of the specifications.
- C. Any conflict between a bill or list of materials shown in the Contract Documents and the actual quantities required to complete the Work required, then the actual quantity shall take precedence.

1.5 USE OF PREMISES

- A. General: Comply with requirements in General Conditions and Section 01500.
- B. Area available for Contractor's use for work and storage, if any, is limited to the area designated on the Drawings.
- C. Fire Department Access: Contractor's use of premises shall not limit required Fire Department access.

1.6 EXAMINATION

- A. General: As stipulated in Document 00100, Contractor is responsible for inspection of the existing site conditions prior to bidding and shall include in the Contract any modifications of the Contract Documents proposed as a result of Contractor's inspection. Such modifications shall be included in the bid.
- B. Persons performing work shall examine conditions that affect their work and shall report in writing to Contractor, with a copy to County, conditions detrimental to work.

1. Failure to examine and report makes the person responsible, at no increase in the Contract Sum, for corrections necessary for the proper installation of their work.
2. Commencement of Work constitutes acceptance of existing condition.

C. Field Verification: Contractor shall verify all existing conditions in the field prior to commencing the Work.

1.7 PERMITS FOR WORK

Submit a Building Permit to Mendocino County Planning and Building Services.

1.8 USE AND OCCUPANCY BY COUNTY PRIOR TO COMPLETION

County may use and occupy all portions of the building after Substantial Completion under the conditions stipulated in the General Conditions and the following:

- A. Written endorsement shall be furnished from Contractor's insurance carrier and surety permitting occupancy by County during the remaining period of the work.
- B. Contractor will not be held responsible for any damage to the occupied portion of the site directly resulting from County's occupancy.
- C. Access by County shall not be deemed to constitute a waiver of existing claims on behalf of County or Contractor against each other.
- D. County and Contractor shall agree to a list of incomplete items, corrections and deficiencies that remain to be completed by Contractor within the area to be occupied by County before County occupies the area.
- E. Contractor shall make available on a 24-hour-a-day, 7-day-a-week basis, utility services, and other operational systems, as are in usable condition to be put in operation when such occupancy occurs, if required by County for areas it has occupied.
 1. Contractor shall be responsible for the operation and maintenance of such equipment while it is so operated until all of the Work is totally complete and accepted.
 2. County shall assume operation and maintenance of such equipment when the entire Project is accepted.
- F. Occupancy of portions of the site shall not, in itself, indicate acceptance of all Work in areas of occupancy or indicate acceptable completion of the Work in total.

1.9 LISTING OF RELATED WORK

Listings of related work or sections in the various Sections are not necessarily complete listings. They are provided for information and convenience only and are intended to highlight related or similar work which is specified in other Sections. Related work listings and omissions from such listings are not intended to control Contractor in dividing the work among subcontractors or in establishing the extent of the work to be performed by any trade.

1.10 REQUEST FOR INFORMATION (RFI)

- A. Requirement: It is Contractor's responsibility to review Contract Documents a minimum of thirty (30) days in advance of the work to be executed, and to request information so that County will have sufficient time to respond to Requests for Information prior to the start of actual construction of that part of the Work to which

the RFI relates. Contractor shall be responsible for all delays, disruptions and other related impacts as a result of untimely RFI's submitted to County.

B. Contractor shall coordinate all requests for information to prevent duplication. Requests for information that are duplicative, uncoordinated with each other, or do not allow for a reasonable time for response will be returned to Contractor.

1. Contractor shall promptly notify County in writing of any discrepancies, and shall not proceed with the Work until such discrepancies have been resolved.
2. Failure to notify County shall not relieve Contractor of its responsibility for resulting damage and/or defect, and for the cost of any corrective work that may be required due to Contractor's failure to notify.

C. Contractor shall prioritize RFI's and request a response based on its most current and accepted CPM schedule.

D. Form:

1. When an interpretation or clarification of the Contract Documents is required from County, Contractor shall make the request on a copy of the RFI form included in the end of this section.
2. Contractor shall fill in all applicable information on the form.
3. Contractor shall limit the subject to one design discipline to expedite reply and attach supplementary information where necessary.
4. County will reply or give summary of reply on the same form and include supplementary information where necessary.
5. The completed form shall be the written record of each RFI.
6. Contractor shall not use any other RFI form on this Project.

E. Uses:

1. The RFI form shall be used for interpretation or clarification of the Contract Documents only.
2. Contractor shall not use the RFI form for the following; County will not reply and will reject the RFI:
 - a. Product or material substitution.
 - b. Questions relating to construction means, methods, techniques, sequences, procedures or safety precautions. (These are Contractor's responsibilities exclusively.)
 - c. Questions relating to construction schedule, coordination between trades, or division of work among subcontractors. (These are also Contractor's responsibilities exclusively.)
 - d. Questions on contract administration procedural matters, unless they require interpretation or clarification of the Contract Documents.
 - e. Dimensions or quantities which are shown on the Contract Documents, or which can be measured from the building, or calculated from the information contained in the Contract Documents.

f. Confirmation of interpretations or clarifications previously provided by County.

F. Reply:

1. County will endeavor to reply to all RFI's promptly as work schedule of the consultants allows; generally no later than fifteen (15) days from the day received.
2. When an RFI involves a complex subject, extensive research or development, or substantial input from other governmental agency, County will inform Contractor and request additional time to prepare the reply. Contractor shall cooperate and agree to a reasonable time extension.
3. The reply shall be a clarification or an interpretation of the Contract Documents; the reply is not an authorization of change in the Contract Sum or Time.
4. Such written interpretation or clarification will be binding on Contractor and County. If County or Contractor believes that a written interpretation or clarification justifies an adjustment in the Contract Sum or Time, then County or Contractor may make a written request for change therefor as provided in the General Conditions, Article 1.07.

PART 2 - PRODUCTS

NOT USED

PART 3 - EXECUTION

NOT USED

END OF SECTION

REQUEST FOR INFORMATION (RFI)

Mendocino County Fire Damaged Adult Probation Modular Demolition Project

RFI No. _____

Submitted By: _____ Date: _____

	<i>Ctr to PM</i>	<i>PM to Arch</i>	<i>Arch to PM</i>	<i>PM to Ctr</i>
Date Sent:	_____	_____	_____	_____

Date Received:	_____	_____	_____	_____
----------------	-------	-------	-------	-------

Type of Information Requested:

☐ Site Work	☐ Structural	☐ Architectural	☐ HVAC
☐ Plumbing	☐ Fire Protection	☐ Electrical	☐ Other

Spec. Section: _____ Paragraph(s): _____

Drawing Sheet: _____ Detail(s): _____

Information Requested: _____

μ Mark this circle if the RFI can be answered by Contractor's review of the documents. Reply with location(s) where the information can be obtained.

Reply: _____

By: _____ Firm: _____ Date: _____

The reply is a clarification or an interpretation of the Contract Documents. No change in the Contract Sum or Time is authorized. The Contractor shall notify the County in the event the Contractor believes the response to the RFI will result in additional costs. The Contractor shall comply with the requirements of Article 2.06 and 2.07 of the General Conditions regarding notice and submittal of an RFC. See Specification Section 01010 for the timeliness of reply.

Covelo Airport Fencing

SUMMARY OF WORK

01010-6

SECTION 012200-ALTERNATES

PART 1 - GENERAL

1.1 SUMMARY

- A. The Alternate proposals as described herein shall state the net sum to be added to the lump sum in the event that the Alternate proposal is accepted. Dollar amounts for Alternate proposals shall be inserted in the proper line on the Bid Form.
- B. The Board reserves the right to accept or reject any or all Alternate proposals.
- C. Include in each Alternate proposal all changes in cost resulting in the work of all trades affected thereby. Work shall be performed in accordance with drawings and specifications affected unless otherwise specified.
- D. Each bidder shall determine to its own satisfaction the full extent to which the Work is affected by each Alternate proposal and shall make full and proper allowance therefore in preparation of its proposal.

1.2 ALTERNATES

- A. Additive Alternate No.1: Add portion of fence as noted on drawings on sheet A101 labeled ADD ALTERNATE 1.

END OF SECTION

SECTION 321313-SITE CONCRETE

PART 1 – GENERAL

1.1 REQUIREMENTS

- A. The Contractor shall provide curbs, gutters, barrier curbs, and other minor site concrete as needed to repair or replace existing features damaged by construction of the Work.

1.2 RELATED SECTIONS

- A. Section 312000 Earth Moving: Preparation of site for improvements and base.

1.3 REFERENCES

- A. The term “State Standard Specifications” is understood to refer to the Standard Specifications of the State of California, Business, Transportation and Housing Agency, Department of Transportation (CALTRANS), 2018 edition. In case of conflict between the Standard Specifications and these specifications, these specifications shall govern.

- 1. Any provisions for measurement and payment specified within the State Standard Specifications shall be disregarded and the provisions of this contract shall govern.

- B. ASTM A615 – Standard Specification for Deformed and Plain Billet-Steel Bars for Concrete Reinforcement; 2004.

- C. ASTM C39 – Standard Test Method for Compressive Strength of Cylindrical Concrete Specimens; 2003.

1.4 SUBMITTALS

- A. Product Data: Submit product technical data acknowledging that products meet requirements of standards referenced.
- B. Manufacturer’s Installation Instructions: Indicate special procedures required to install Products specified.
- C. Manufacturer’s Certificate: Certify that products meet or exceed specified requirements.
- D. Submit concrete mix design.

PART 2 - PRODUCTS

2.1 FORM MATERIAL

A. Forms: State Standard Specifications, Section 51.

2.2 REINFORCEMENT

A. Reinforcing Steel: ASTM A615 Grade 40; deformed billet steel bars; unfinished finish.

B. Dowels: ASTM A615 Grade 40; deformed billet steel bars; unfinished finish.

C. Tie Wire: Annealed steel, minimum 16 gage.

D. Chairs, Bolsters, Bar Supports, Spacers: Sized and shaped for adequate support of reinforcement during concrete placement.

2.3 CONCRETE

A. Concrete shall conform to Section 73, Paragraph 73-1.01 of the State Standard Specifications.

1. Cement: Type II Modified.

2.4 ACCESSORIES

A. Joint Sealer: State Standard Specifications, Section 51.

2.5 CONCRETE MIX DESIGN

A. Concrete Properties:

1. Minimum Compressive Strength, when tested in accordance with ASTM c39 at 28 days: 3,500 psi.

2. Maximum Slump: 5 inches.

3. Maximum Water-Cementitious Ratio: 0.50.

4. Maximum Penetration: 1.5 inches.

PART 3 - EXECUTION

3.1 FORMS AND SCREED CONSTRUCTION

- A. Set, brace, and secure edge forms, bulkheads, and intermediate screed guides for paving to required lines, grades, and elevations. Install forms to allow continuous progress of work and so that forms can remain in place at least 24 hours after concrete placement.
- B. Clean forms after each use and coat with form release agent as required to ensure separation from concrete without damage.
- C. Fixed forms for concrete curbs shall comply with Section 73-2.03B of the State Standard Specifications and extruded or slip forms for concrete curbs shall comply with Section 73-2.03C of the State Standard Specifications.
- D. Form work for concrete sidewalks, gutter depressions, island paving, curb ramps and driveways shall conform with Section 73-3.03 of the State Standard Specifications.

3.2 STEEL REINFORCEMENT

- A. General: Comply with CRSI's "Manual of Standard Practice" for fabricating reinforcement and with recommendations in CRSI's "Placing Reinforcing Bars" for placing and supporting reinforcement.
- B. Clean reinforcement of loose rust and mill scale, earth, ice, or other bond-reducing materials.
- C. Arrange, space, and securely tie bars and bar supports to hold reinforcement in position during concrete placement. Maintain minimum cover to reinforcement.
- D. Install welded wire fabric in lengths as long as practicable. Lap adjoining pieces at least 1 full mesh and lace splices with wire. Offset laps of adjoining widths to prevent continuous laps in either direction.
- E. Install fabricated bar mats in lengths as long as practicable. Handle units to keep them flat and free of distortions. Straighten bends, kinks, and other irregularities or replace units as required before placement. Set mats for a minimum 2 inch overlap to adjacent mats.
- F. Expansion Joint Dowel Bars: spaced horizontally a minimum of 24 inches on-center center in slab and parallel to edge of paving and each other. Dowels are to be no more than 6 inches from the edge of pavement.
- G. Install No. 3 reinforcing bars spaced 18 inches center to center each way for all exterior concrete flatwork and sidewalks.

3.3 PLACING CONCRETE

- A. Comply with the State Standard Specifications, Section 73, Paragraphs 1.02 through 1.06, inclusive.
- B. Unless shown otherwise on the Drawings, replace existing curbs, curbs and gutters, and sidewalks in kind.
- C. Adjust structures such as valve boxes, manhole frames and covers, and electrical vaults to grade after the curb and gutter or sidewalk has been constructed for a reasonable distance on all sides of the structure.
Complete the concrete work after the structure is adjusted.

3.4 JOINTS

- A. Align curb, gutter, and sidewalk joints.
- B. Construction Joints: Set construction joints at side and end terminations of paving, back of curbs and at locations where paving operations are stopped for more than 0.5 hour, unless paving terminates at expansion joints.
 - 1. Continue reinforcement across construction joints unless indicated otherwise. Do not continue reinforcement through sides of strip paving adjacent to curbs unless indicated.
 - 2. Use epoxy bonding adhesive at locations where fresh concrete is placed against hardened or partially hardened concrete surfaces.
- C. Expansion Joints: Form expansion joints of pre-formed joint filler strips abutting concrete curbs, retaining and freestanding walls, ramps, stairs, catch basins, manholes, inlets, structures, building walls, walks, other fixed objects, and where indicated on the Drawings.
 - 1. Locate expansion joints in pavement as detailed in the Drawings.
 - 2. Install dowel bars and support assemblies at all expansion joints. Lubricate one-half of dowel length with heavy grease.
 - 3. Locate expansion joints in curbs, curbs and gutters and concrete bands 25 feet on center to align with expansion joints in adjacent concrete paving, and in no case more than 40 feet on center.
 - 4. Extend joint fillers full width and depth of joint.
 - 5. Terminate joint filler not less than 0.5 inch below finished surface where joint sealant is indicated. Place top of joint filler flush with finished concrete surface when no joint sealant is indicated.

6. Furnish joint fillers in one-piece. Where more than 1 length is required, lace or clip joint- filler sections together.
7. Protect top edge of joint filler during concrete placement with a metal, plastic, or other temporary pre-formed cap. Remove protective cap after concrete has been placed on both sides of joint.

D. Provide scored joints:

1. In pavement as detailed.
2. In curbs, curbs and gutters, and sidewalks at 5 foot intervals and align with score joints in adjacent concrete paving.
3. Between sidewalks and curbs.
4. Tool score joints after initial floating by grooving and finishing each edge of joint with groover tool to the following radius. Repeat grooving of score joints after applying surface finishes. Eliminate groover marks on concrete surfaces.

a. Radius: 0.25 inch.

- E. Edging: Tool edges of pavement, gutters, curbs, and joints in concrete after initial floating with an edging tool to a 0.5 inch radius. Repeat tooling of edges after applying surface finishes. Eliminate tool marks on concrete surfaces.

3.5 FINISHING

A. Sidewalk Paving:

1. Medium broom, texture perpendicular to direction of travel with troweled and radiused edge $\frac{1}{2}$ inch radius as indicated on drawings.

- B. Barrier Curb: Light broom, texture perpendicular to direction of travel with troweled and radiused edge $\frac{1}{2}$ inch radius.

- C. Curbs and Gutters: Light broom, texture parallel to pavement direction.

- D. Vehicular Paving: Medium broom.

3.6 TOLERANCES

- A. Maximum Variation of Surface Flatness: $\frac{1}{4}$ inch in 10 feet.

- B. Maximum Variation From True Position: $\frac{1}{4}$ inch.

- C. Joint Spacing: 0.5 inch.
- D. Score Joint Depth: Plus 0.25 inch, no minus.
- E. Joint Width: Plus 0.125 inch, no minus.

3.7 FIELD QUALITY CONTROL

- A. Compressive Strength Tests: ASTM C39. For each test, mold and cure four concrete test cylinders. Obtain test samples for every 100 cu yd or less of each class of concrete placed.

3.8 PROTECTION

- A. Immediately after placement, protect paving from premature drying, excessive hot or cold temperatures, and mechanical injury.
- B. Do not permit pedestrian or vehicular traffic over pavement for 7 days minimum after finishing.

END OF SECTION 321313

SECTION 323113 – CHAIN LINK FENCES AND GATES

PART 1 - GENERAL

1.1 SUMMARY

A. Section Includes:

1. Chain-link fences.
2. Horizontal-slide gates.

1.2 ACTION SUBMITTALS

A. Product Data: For each type of product.

1. Include construction details, material descriptions, dimensions of individual components and profiles, and finishes for the following:
 - a. Fence posts, rails, and fittings.
 - b. Chain-link fabric, reinforcements, and attachments.

1.3 FIELD CONDITIONS

A. Field Measurements: Verify layout information for chain-link fences shown on Drawings in relation to existing structures. Verify dimensions by field measurements.

1.4 WARRANTY

A. Special Warranty: Installer agrees to repair or replace components of chain-link fences and gates that fail in materials or workmanship within specified warranty period.

1. Failures include, but are not limited to, the following:
 - a. Failure to comply with performance requirements.
 - b. Deterioration of metals, metal finishes, and other materials beyond normal weathering.
 - c. Faulty operation of gate operators and controls.
2. Warranty Period: Five years from date of Substantial Completion.

PART 2 - PRODUCTS

2.1 CHAIN-LINK FENCE FABRIC

- A. General: Provide fabric in one-piece heights measured between top and bottom of outer edge of selvage knuckle or twist according to "CLFMI Product Manual" and requirements indicated below:
1. Fabric Height: 4 foot.
 2. Steel Wire for Fabric: Wire diameter of 0.192 inch (4.88 mm).
 - a. Mesh Size: 2 inches (50 mm).
 - b. Zinc-Coated Fabric: ASTM A392, Type II, Class 1, 1.2 oz./sq. ft. (366 g/sq. m) with zinc coating.

2.2 FENCE FRAMEWORK

- A. Posts and Rails: ASTM F1043 for framework, including rails, braces, and line; terminal; and corner posts. Provide members with minimum dimensions and wall thickness according to ASTM F1043 based on the following:
1. Fence Height: 48 inches.
 - a. Line Post: 2.0 inches outside diameter.
 - b. End, Corner, and Pull Posts: 2.5 inches outside diameter.
 - c. Top Rail: 1.66 inches (42 mm) in diameter.
 2. Metallic Coating for Steel Framework:
 - a. Type A: Not less than minimum 2.0-oz./sq. ft. (0.61-kg/sq. m) average zinc coating according to ASTM A123/A123M or 4.0-oz./sq. ft. (1.22-kg/sq. m) zinc coating according to ASTM A653/A653M.
 - b. Type B: Zinc with organic overcoat, consisting of a minimum of 0.9 oz./sq. ft. (0.27 kg/sq. m) of zinc after welding, a chromate conversion coating, and a clear, verifiable polymer film.
 - c. External, Type B: Zinc with organic overcoat, consisting of a minimum of 0.9 oz./sq. ft. (0.27 kg/sq. m) of zinc after welding, a chromate conversion coating, and a clear, verifiable polymer film. Internal, Type D, consisting of 81 percent, not less than 0.3-mil- (0.0076-mm-) thick, zinc-pigmented coating.
 - d. Type C: Zn-5-Al-MM alloy, consisting of not less than 1.8-oz./sq. ft. (0.55-kg/sq. m) coating.
 - e. Coatings: Any coating above.

2.3 TENSION WIRE

- A. Metallic-Coated Steel Wire: 0.177-inch- (4.5-mm-) diameter, marcelled tension wire according to ASTM A817 or ASTM A824, with the following metallic coating:

1. Type II: Zinc coated (galvanized) by hot-dip process, with the following minimum coating weight:
 - a. Class 3: Not less than 0.8 oz./sq. ft. (244 g/sq. m) of uncoated wire surface.

2.4 HORIZONTAL-SLIDE GATES

- A. General: ASTM F1184 for gate posts and single sliding gate types.
 1. Classification: Type I Overhead Slide.
 - a. Gate Leaf Width: 16 feet.
 - b. Framework Member Sizes and Strength: Based on gate fabric height of 48 inches.
- B. Pipe and Tubing:
 1. Zinc-Coated Steel: Manufacturer's standard protective coating and finish.
 2. Gate Posts: ASTM F1184. Provide round tubular steel posts.
- C. Frame Corner Construction: Welded or assembled with corner fittings.
- D. Hardware:
 1. Hangers, Roller Assemblies, and Stops: Fabricated from galvanized steel.
 2. Latch: Permitting operation from both sides of gate with provision for padlocking accessible from both sides of gate.

2.5 FITTINGS

- A. Provide fittings according to ASTM F626.
- B. Post Caps: Provide for each post.
 1. Provide line post caps with loop to receive tension wire or top rail.
- C. Rail and Brace Ends: For each gate, corner, pull, and end post.
- D. Rail Fittings: Provide the following:
 1. Top Rail Sleeves: Pressed-steel or round-steel tubing not less than 6 inches (152 mm) long.
- E. Tension and Brace Bands: Pressed steel.
- F. Tie Wires, Clips, and Fasteners: According to ASTM F626.
 1. Standard Round Wire Ties: For attaching chain-link fabric to posts, rails, and frames, according to the following:
 - a. Hot-Dip Galvanized Steel: 0.106-inch- (2.69-mm-) diameter wire.

G. Finish:

1. Metallic Coating for Pressed Steel or Cast Iron: Not less than 1.2 oz./sq. ft. (366 g/sq. m) of zinc.

2.6 GROUT AND ANCHORING CEMENT

- A. Nonshrink, Nonmetallic Grout: Factory-packaged, nonstaining, noncorrosive, nongaseous grout complying with ASTM C1107/C1107M. Provide grout, recommended in writing by manufacturer, for exterior applications.
- B. Anchoring Cement: Factory-packaged, nonshrink, nonstaining, hydraulic-controlled expansion cement formulation for mixing with water at Project site to create pourable anchoring, patching, and grouting compound. Provide formulation that is resistant to erosion from water exposure without needing protection by a sealer or waterproof coating, and that is recommended in writing by manufacturer for exterior applications.

PART 3 - EXECUTION

3.1 EXAMINATION

- A. Examine areas and conditions, with Installer present, for compliance with requirements for site clearing, earthwork, pavement work, and other conditions affecting performance of the Work.
- B. Proceed with installation only after unsatisfactory conditions have been corrected.

3.2 PREPARATION

- A. Stake locations of fence lines, gates, and terminal posts. Do not exceed intervals of 500 feet (152 m) or line of sight between stakes. Indicate locations of utilities, lawn sprinkler system, underground structures, benchmarks, and property monuments.

3.3 CHAIN-LINK FENCE INSTALLATION

- A. Install chain-link fencing according to ASTM F567 and more stringent requirements specified.
 1. Install fencing on established boundary lines inside property line.
- B. Post Excavation: Drill or hand-excavate holes for posts to diameters and spacings indicated, in firm, undisturbed soil.
- C. Post Setting: Set posts in concrete at indicated spacing into firm, undisturbed soil.
 1. Verify that posts are set plumb, aligned, and at correct height and spacing, and hold in position during setting with concrete or mechanical devices.
 2. Concrete Fill: Place concrete around posts to dimensions indicated and vibrate or tamp for consolidation. Protect aboveground portion of posts from concrete splatter.

- a. Exposed Concrete: Extend 2 inches (50 mm) above grade; shape and smooth to shed water.
- D. Terminal Posts: Install terminal end, corner, and gate posts according to ASTM F567 and terminal pull posts at changes in horizontal or vertical alignment of 15 degrees or more. For runs exceeding 500 feet (152 m), space pull posts an equal distance between corner or end posts.
- E. Line Posts: Space line posts uniformly at 10 feet (3 m) o.c.
- F. Tension Wire: Install according to ASTM F567, maintaining plumb position and alignment of fence posts. Pull wire taut, without sags. Fasten fabric to tension wire with 0.120-inch- (3.05-mm-) diameter hog rings of same material and finish as fabric wire, spaced a maximum of 24 inches (610 mm) o.c. Install tension wire in locations indicated before stretching fabric. Provide horizontal tension wire at the following locations:
 - 1. Extended along bottom of fence fabric. Install top tension wire through post cap loops. Install bottom tension wire within 6 inches (152 mm) of bottom of fabric and tie to each post with not less than same diameter and type of wire.
- G. Top Rail: Install according to ASTM F567, maintaining plumb position and alignment of fence posts. Run rail continuously through line post caps, bending to radius for curved runs and terminating into rail end attached to posts or post caps fabricated to receive rail at terminal posts. Provide expansion couplings as recommended in writing by fencing manufacturer.
- H. Chain-Link Fabric: Apply fabric to outside of enclosing framework. Leave 1-inch (25-mm) bottom clearance between finish grade or surface and bottom selvage unless otherwise indicated. Pull fabric taut and tie to posts, rails, and tension wires. Anchor to framework so fabric remains under tension after pulling force is released.
- I. Tension or Stretcher Bars: Thread through fabric and secure to end, corner, pull, and gate posts, with tension bands spaced not more than 15 inches (380 mm) o.c.
- J. Tie Wires: Use wire of proper length to firmly secure fabric to line posts and rails. Attach wire at one end to chain-link fabric, wrap wire around post a minimum of 180 degrees, and attach other end to chain-link fabric according to ASTM F626. Bend ends of wire to minimize hazard to individuals and clothing.
 - 1. Maximum Spacing: Tie fabric to line posts at 12 inches (300 mm) o.c. and to braces at 24 inches (610 mm) o.c.
- K. Fasteners: Install nuts for tension bands and carriage bolts on the side of fence opposite the fabric side.

3.4 GATE INSTALLATION

Install gates according to manufacturer's written instructions, level, plumb, and secure for full opening without interference. Attach fabric as for fencing. Attach hardware using tamper-resistant or concealed means. Install ground-set items in concrete for anchorage. Adjust hardware for smooth operation.

3.5 ADJUSTING

Gates: Adjust gates to operate smoothly, easily, and quietly, free of binding, warp, excessive deflection, distortion, nonalignment, misplacement, disruption, or malfunction, throughout entire operational range. Confirm that latches and locks engage accurately and securely without forcing or binding.

END OF SECTION 323113