

COUNTY OF MENDOCINO
DEPARTMENT OF TRANSPORTATION
NOTICE TO BIDDERS
CONTRACT NO. 250002

Sealed proposals will be received by the Mendocino County Department of Transportation, State of California, until the hour of 2:00 o'clock P.M., April 8, 2025, at which time they will be publicly opened and read aloud in the office of the Mendocino County Department of Transportation, 340 Lake Mendocino Drive, Ukiah, California 95482 (Telephone (707) 463-4363) for construction in accordance with the Plans and Specifications to which special reference is made as follows:

COUNTY OF MENDOCINO, DEPARTMENT OF TRANSPORTATION
2025 CORRECTIVE/PREVENTATIVE MAINTENANCE ON
VARIOUS COUNTY ROADS IN THE HOPLAND AREA
DOT CONTRACT NO.: 250002
DOT PROJECT NO.: 3041-CM2501

Plans, forms of proposal, contract and contract documents may be seen at the office of the County of Mendocino Department of Transportation, 340 Lake Mendocino Drive, Ukiah, California (telephone (707) 463-4363).

PLANS AND CONTRACT DOCUMENTS MAY BE OBTAINED AT THE OFFICE OF THE COUNTY OF MENDOCINO DEPARTMENT OF TRANSPORTATION, 340 Lake Mendocino Drive, Ukiah, California 95482, upon payment of \$50.00 in company check, money order or the exact amount in cash. Please make a check or money order payable to COUNTY OF MENDOCINO. This payment is not refundable.

For this contract, the County has included a Disadvantaged Business Enterprises (DBE) goal of 0 percent. Bidders need not achieve the percentage stated as a condition of award.

~~This project is subject to the "Buy America" provisions of the surface transportation assistance act of 1982 as amended by the Intermodal Surface Transportation Efficiency Act of 1991.~~

No pre-bid meeting is scheduled for this project.

Bids are required for the entire work described herein.

At the time of bid, the Contractor (or Subcontractor) shall Submit the project name, agency/owner, project engineer, and construction dates of a minimum of five (5) FDR-Concrete projects the Contractor (or Subcontractor) has completed in the last three (3) years.

The contract is to be awarded to the responsive, responsible bidder with the lowest total of the base bid.

The prime Contractor for the work herein shall possess the following valid State of California licenses:

“A” - General Engineering or C-12 Earthwork and Paving at the time this Contract is awarded.

Pursuant to Section 1771.1(a) of the Labor Code of the State of California, A contractor or subcontractor shall not be qualified to bid on, be listed in a bid proposal, subject to the requirements of Section 4104 of the Public Contract Code, or engage in the performance of any contract for public work, as defined in this chapter, unless currently registered and qualified to perform public work pursuant to Section 1725.5. It is not a violation of this section for an unregistered contractor to submit a bid that is authorized by Section 7029.1 of the Business and Professions Code or by Section 10164 or 20103.5 of the Public Contract Code, provided the contractor is registered to perform public work pursuant to Section 1725.5 at the time the contract is awarded.

If the successful low bidder has a physical place of business in unincorporated Mendocino County, they will be required to obtain a County Business License prior to Notice to Proceed.

The County of Mendocino hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, Disadvantaged Business Enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration of the award.

Pursuant to the provisions in Section 1773 of the Labor Code of the State of California, the Board of Supervisors of the County of Mendocino has obtained from the Director of the Department of Industrial Relations the general prevailing rate of wages, and the schedule of employer payments for health and welfare, vacation, pension and similar purposes in the County. Interested parties may review these wage rates and schedules at the Department of Transportation, 340 Lake Mendocino Drive, Ukiah, California. The successful Contractor shall obtain a copy of prevailing wage rates from the Engineer and shall post same at a prominent place at the job site.

For this contract the general prevailing rate of wages as ascertained by County shall be those in effect on the bid date. Future effective wage rates, which have been predetermined and are on file with the Department of Industrial Relations, are referenced in the published wage rates of the Director of the Department of Industrial Relations.

The County of Mendocino reserves the right to reject any and all bids or to waive any defects or irregularity in bidding.

Dated March 10, 2025

Howard N. Dashiell
Director of Transportation of the
County of Mendocino,
State of California

BY: 
Director

BID ITEM LIST

Mountain House Road, CR 111, M.P. 6.32 to M.P. 9.32 Base Bid, Full Depth Reclamation, Double Chip with 3/8" & 5/16" Chip Seal top wear course, EXCLUDE BRIDGE AT M.P. 9.28				
ITEM	ITEM	ITEM DESCRIPTION	UNIT	ESTIMATED
1	999990	MOBILIZATION	LS	1.0
2	100100	DEVELOP WATER SUPPLY	LS	1.0
3	120090	CONSTRUCTION AREA SIGNS	LS	1.0
4	120100	TRAFFIC CONTROL SYSTEM	LS	1.0
5	130200	PREPARE WATER POLLUTION CONTROL PROGRAM	LS	1.0
6	304010	FULL DEPTH RECYCLING-CEMENT (6" minimum depth)	SQYD	41,547.0
7	304110	CEMENT (FDR - CEMENT)	TON	588.9
8	304210	SUPPLEMENTARY AGGREGATE (FDR-CEMENT)	TON	138.5
9	304310	ASPHALTIC EMULSION (FDR-CEMENT, 0.13 - 0.25 gal/sqyd)	TON	43.3
10	304320	SAND COVER (FDR-CEMENT, 2.0-6.0 lbs/sqyd)	TON	124.6
11	304410	MIX DESIGN (FDR-CEMENT)	LS	1.0
12	374493	POLYMER ASPHALTIC EMULSION (chip seal, .30-.45 gal/sqyd)	TON	60.6
13	375001	SCREENINGS 3/8" (chip seal, 23-30 lbs/sqyd)	SQYD	41,547.0
14	374493	POLYMER ASPHALTIC EMULSION (chip seal, .20-.30 gal/sqyd)	TON	51.9
15	375001	SCREENINGS 5/16" (chip seal, 12-20 lbs/sqyd)	SQYD	41,547.0
16	840656	PAINT TRAFFIC STRIPE (2-COAT), YELLOW 6"	LF	31,680.0
17	840666	PAINT PAVEMENT MARKINGS (2-COAT)	SQFT	192.0
18	840656	PAINT FOG LINE STRIPE (2-COAT), WHITE 6"	LF	31,680.0
19		PROTECT IN PLACE WATER VALVE COVER	EA	10.0
20		PROTECT IN PLACE MANHOLE COVER	EA	1.0

Feliz Creek Road, CR 109, M.P. 0.00 to M.P. 3.43 Base Bid Full Depth Reclamation, Double Chip with 3/8" & 5/16" Chip Seal top wear course				
ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT CODE	ESTIMATED QUANTITY
21	304010	FULL DEPTH RECYCLING-CEMENT (6" minimum depth)	SQYD	36,820.0
22	304110	CEMENT (FDR - CEMENT)	TON	521.9
23	304210	SUPPLEMENTARY AGGREGATE (FDR-CEMENT)	TON	122.7
24	304310	ASPHALTIC EMULSION (FDR-CEMENT, 0.13 - 0.25 gal/sqyd)	TON	38.4
25	304320	SAND COVER (FDR-CEMENT, 2.0-6.0 lbs/sqyd)	TON	110.5
26	374493	POLYMER ASPHALTIC EMULSION (chip seal, .30-.45 gal/sqyd)	TON	53.7
27	375001	SCREENINGS 3/8" (chip seal, 23-30 lbs/sqyd)	SQYD	36,820.0
28	374493	POLYMER ASPHALTIC EMULSION (chip seal, .20-.30 gal/sqyd)	TON	46.0
29	375001	SCREENINGS 5/16" (chip seal, 12-20 lbs/sqyd)	SQYD	36,820.0
30	840656	PAINT TRAFFIC STRIPE (2-COAT), YELLOW 6"	LF	14,784.0
31	840666	PAINT PAVEMENT MARKINGS (2-COAT)	SQFT	192.0
32	840656	PAINT FOG LINE STRIPE (2-COAT), WHITE 6"	LF	14,784.0
33		PROTECT IN PLACE WATER VALVE COVER	EA	1.0
34		PROTECT IN PLACE MANHOLE COVER	EA	2.0

Old Hopland-Yorkville Road, CR 110, M.P. 0.00 to M.P. 3.60 Base Bid Full Depth Reclamation, Double Chip with 3/8" & 5/16" Chip Seal top wear course, EXCLUDE BRIDGES AT M.P. 0.06 & M.P. 0.50				
ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT CODE	ESTIMATED QUANTITY
35	304010	FULL DEPTH RECYCLING-CEMENT (6" minimum depth)	SQYD	33,968.0
36	304110	CEMENT (FDR - CEMENT)	TON	481.5
37	304210	SUPPLEMENTARY AGGREGATE (FDR-CEMENT)	TON	113.2
38	304310	ASPHALTIC EMULSION (FDR-CEMENT, 0.13 - 0.25 gal/sqyd)	TON	35.4
39	304320	SAND COVER (FDR-CEMENT, 2.0-6.0 lbs/sqyd)	TON	101.9
40	374493	POLYMER ASPHALTIC EMULSION (chip seal, .30-.45 gal/sqyd)	TON	49.5
41	375001	SCREENINGS 3/8" (chip seal, 23-30 lbs/sqyd)	SQYD	33,968.0
42	374493	POLYMER ASPHALTIC EMULSION (chip seal, .20-.30 gal/sqyd)	TON	42.5
43	375001	SCREENINGS 5/16" (chip seal, 12-20 lbs/sqyd)	SQYD	33,968.0
44	840656	PAINT TRAFFIC STRIPE (2-COAT), YELLOW 6"	LF	5,280.0
45	840656	PAINT FOG LINE STRIPE (2-COAT), WHITE 6"	LF	5,280.0

McDowell Street, CR 115E, M.P. 0.00 to M.P. 0.20 Base Bid Full Depth Reclamation, Double Chip with 3/8" & 5/16" Chip Seal top wear course				
ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT CODE	ESTIMATED QUANTITY
46	304010	FULL DEPTH RECYCLING-CEMENT (6" minimum depth)	SQYD	3,007.0
47	304110	CEMENT (FDR - CEMENT)	TON	42.6
48	304210	SUPPLEMENTARY AGGREGATE (FDR-CEMENT)	TON	10.0
49	304310	ASPHALTIC EMULSION (FDR-CEMENT, 0.13 - 0.25 gal/sqyd)	TON	3.1
50	304320	SAND COVER (FDR-CEMENT, 2.0-6.0 lbs/sqyd)	TON	9.0
51	374493	POLYMER ASPHALTIC EMULSION (chip seal, .30-.45 gal/sqyd)	TON	4.4
52	375001	SCREENINGS 3/8" (chip seal, 23-30 lbs/sqyd)	SQYD	3,007.0
53	374493	POLYMER ASPHALTIC EMULSION (chip seal, .20-.30 gal/sqyd)	TON	3.8
54	375001	SCREENINGS 5/16" (chip seal, 12-20 lbs/sqyd)	SQYD	3,007.0
55	840656	PAINT TRAFFIC STRIPE (2-COAT), YELLOW 6"	LF	2,082.0
56	840656	PAINT FOG LINE STRIPE (2-COAT), WHITE 6"	LF	2,082.0
57		PROTECT IN PLACE WATER VALVE COVER	EA	4.0
58		PROTECT IN PLACE MANHOLE COVER	EA	8.0

Sanel Street, CR 115B, M.P. 0.00 to M.P. 0.10 Base Bid Full Depth Reclamation, Double Chip with 3/8" & 5/16" Chip Seal top wear course				
ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT CODE	ESTIMATED QUANTITY
59	304010	FULL DEPTH RECYCLING-CEMENT (6" minimum depth)	SQYD	1,303.0
60	304110	CEMENT (FDR - CEMENT)	TON	18.5
61	304210	SUPPLEMENTARY AGGREGATE (FDR-CEMENT)	TON	4.3
62	304310	ASPHALTIC EMULSION (FDR-CEMENT, 0.13 - 0.25 gal/sqyd)	TON	1.4
63	304320	SAND COVER (FDR-CEMENT, 2.0-6.0 lbs/sqyd)	TON	3.9
64	374493	POLYMER ASPHALTIC EMULSION (chip seal, .30-.45 gal/sqyd)	TON	1.9
65	375001	SCREENINGS 3/8" (chip seal, 23-30 lbs/sqyd)	SQYD	1,303.0
66	374493	POLYMER ASPHALTIC EMULSION (chip seal, .20-.30 gal/sqyd)	TON	1.6
67	375001	SCREENINGS 5/16" (chip seal, 12-20 lbs/sqyd)	SQYD	1,303.0
68	840656	PAINT TRAFFIC STRIPE (2-COAT), YELLOW 6"	LF	1,066.0
69	840656	PAINT FOG LINE STRIPE (2-COAT), WHITE 6"	LF	1,066.0
70		PROTECT IN PLACE WATER VALVE COVER	EA	0.0
71		PROTECT IN PLACE MANHOLE COVER	EA	5.0

Knox Street, CR 115D, M.P. 0.00 to M.P. 0.04 Base Bid Full Depth Reclamation, Double Chip with 3/8" & 5/16" Chip Seal top wear course				
ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT CODE	ESTIMATED QUANTITY
72	304010	FULL DEPTH RECYCLING-CEMENT (6" minimum depth)	SQYD	563.0
73	304110	CEMENT (FDR - CEMENT)	TON	8.0
74	304210	SUPPLEMENTARY AGGREGATE (FDR-CEMENT)	TON	1.9
75	304310	ASPHALTIC EMULSION (FDR-CEMENT, 0.13 - 0.25 gal/sqyd)	TON	0.6
76	304320	SAND COVER (FDR-CEMENT, 2.0-6.0 lbs/sqyd)	TON	1.7
77	374493	POLYMER ASPHALTIC EMULSION (chip seal, .30-.45 gal/sqyd)	TON	0.8
78	375001	SCREENINGS 3/8" (chip seal, 23-30 lbs/sqyd)	SQYD	563.0
79	374493	POLYMER ASPHALTIC EMULSION (chip seal, .20-.30 gal/sqyd)	TON	0.7
80	375001	SCREENINGS 5/16" (chip seal, 12-20 lbs/sqyd)	SQYD	563.0
81	840656	PAINT TRAFFIC STRIPE (2-COAT), YELLOW 6"	LF	422.0
82	840656	PAINT FOG LINE STRIPE (2-COAT), WHITE 6"	LF	422.0
83		PROTECT IN PLACE WATER VALVE COVER	EA	0.0
84		PROTECT IN PLACE MANHOLE COVER	EA	2.0

Howell Street, CR 115F, M.P. 0.00 to M.P. 0.04 Base Bid Full Depth Reclamation, Double Chip with 3/8" & 5/16" Chip Seal top wear course				
ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT CODE	ESTIMATED QUANTITY
85	304010	FULL DEPTH RECYCLING-CEMENT (6" minimum depth)	SQYD	469.0
86	304110	CEMENT (FDR - CEMENT)	TON	6.6
87	304210	SUPPLEMENTARY AGGREGATE (FDR-CEMENT)	TON	1.6
88	304310	ASPHALTIC EMULSION (FDR-CEMENT, 0.13 - 0.25 gal/sqyd)	TON	0.5
89	304320	SAND COVER (FDR-CEMENT, 2.0-6.0 lbs/sqyd)	TON	1.4
90	374493	POLYMER ASPHALTIC EMULSION (chip seal, .30-.45 gal/sqyd)	TON	0.7
91	375001	SCREENINGS 3/8" (chip seal, 23-30 lbs/sqyd)	SQYD	469.0
92	374493	POLYMER ASPHALTIC EMULSION (chip seal, .20-.30 gal/sqyd)	TON	0.7
93	375001	SCREENINGS 5/16" (chip seal, 12-20 lbs/sqyd)	SQYD	469.0
94	840656	PAINT TRAFFIC STRIPE (2-COAT), YELLOW 6"	LF	422.0
95	840656	PAINT FOG LINE STRIPE (2-COAT), WHITE 6"	LF	422.0
96		PROTECT IN PLACE WATER VALVE COVER	EA	0.0
97		PROTECT IN PLACE MANHOLE COVER	EA	0.0

Harrison Street, CR 115A, M.P. 0.00 to M.P. 0.19 Base Bid Full Depth Reclamation, Double Chip with 3/8" & 5/16" Chip Seal top wear course				
ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT CODE	ESTIMATED QUANTITY
98	304010	FULL DEPTH RECYCLING-CEMENT (6" minimum depth)	SQYD	2,808.0
99	304110	CEMENT (FDR - CEMENT)	TON	39.8
100	304210	SUPPLEMENTARY AGGREGATE (FDR-CEMENT)	TON	9.4
101	304310	ASPHALTIC EMULSION (FDR-CEMENT, 0.13 - 0.25 gal/sqyd)	TON	2.9
102	304320	SAND COVER (FDR-CEMENT, 2.0-6.0 lbs/sqyd)	TON	8.4
103	374493	POLYMER ASPHALTIC EMULSION (chip seal, .30-.45 gal/sqyd)	TON	4.1
104	375001	SCREENINGS 3/8" (chip seal, 23-30 lbs/sqyd)	SQYD	2,808.0
105	374493	POLYMER ASPHALTIC EMULSION (chip seal, .20-.30 gal/sqyd)	TON	3.5
106	375001	SCREENINGS 5/16" (chip seal, 12-20 lbs/sqyd)	SQYD	2,808.0
107	840656	PAINT TRAFFIC STRIPE (2-COAT), YELLOW 6"	LF	2,112.0
108	840656	PAINT FOG LINE STRIPE (2-COAT), WHITE 6"	LF	2,112.0
109		PROTECT IN PLACE WATER VALVE COVER	EA	6.0
110		PROTECT IN PLACE MANHOLE COVER	EA	5.0

First Street, CR 115C, M.P. 0.00 to M.P. 0.06 Base Bid Full Depth Reclamation, Double Chip with 3/8" & 5/16" Chip Seal top wear course				
ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT CODE	ESTIMATED QUANTITY
111	304010	FULL DEPTH RECYCLING-CEMENT (6" minimum depth)	SQYD	990.0
112	304110	CEMENT (FDR - CEMENT)	TON	14.0
113	304210	SUPPLEMENTARY AGGREGATE (FDR-CEMENT)	TON	3.3
114	304310	ASPHALTIC EMULSION (FDR-CEMENT, 0.13 - 0.25 gal/sqyd)	TON	1.0
115	304320	SAND COVER (FDR-CEMENT, 2.0-6.0 lbs/sqyd)	TON	3.0
116	374493	POLYMER ASPHALTIC EMULSION (chip seal, .30-.45 gal/sqyd)	TON	0.6
117	375001	SCREENINGS 3/8" (chip seal, 23-30 lbs/sqyd)	SQYD	990.0
118	374493	POLYMER ASPHALTIC EMULSION (chip seal, .20-.30 gal/sqyd)	TON	1.4
119	375001	SCREENINGS 5/16" (chip seal, 12-20 lbs/sqyd)	SQYD	990.0
120	840656	PAINT TRAFFIC STRIPE (2-COAT), YELLOW 6"	LF	660.0
121	840656	PAINT FOG LINE STRIPE (2-COAT), WHITE 6"	LF	660.0
122		PROTECT IN PLACE WATER VALVE COVER	EA	1.0
123		PROTECT IN PLACE MANHOLE COVER	EA	3.0

Old Toll Road, CR 108, M.P. 0.00 to M.P. 2.60 Base Bid Full Depth Reclamation, Double Chip with 3/8" & 5/16" Chip Seal top wear course				
ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT CODE	ESTIMATED QUANTITY
124	304010	FULL DEPTH RECYCLING-CEMENT (6" minimum depth)	SQYD	26,830.0
125	304110	CEMENT (FDR - CEMENT)	TON	380.3
126	304210	SUPPLEMENTARY AGGREGATE (FDR-CEMENT)	TON	89.4
127	304310	ASPHALTIC EMULSION (FDR-CEMENT, 0.13 - 0.25 gal/sqyd)	TON	27.9
128	304320	SAND COVER (FDR-CEMENT, 2.0-6.0 lbs/sqyd)	TON	80.5
129	374493	POLYMER ASPHALTIC EMULSION (chip seal, .30-.45 gal/sqyd)	TON	39.1
130	375001	SCREENINGS 3/8" (chip seal, 23-30 lbs/sqyd)	SQYD	26,830.0
131	374493	POLYMER ASPHALTIC EMULSION (chip seal, .20-.30 gal/sqyd)	TON	33.5
132	375001	SCREENINGS 5/16" (chip seal, 12-20 lbs/sqyd)	SQYD	26,830.0
133	840656	PAINT TRAFFIC STRIPE (2-COAT), YELLOW 6"	LF	27,456.0
134	840656	PAINT FOG LINE STRIPE (2-COAT), WHITE 6"	LF	27,456.0

East Side Rancheria Road, CR 105 M.P. 0.00 to M.P. 0.48 Base Bid Double Chip with 3/8" & 5/16" Chip Seal top wear course				
ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT CODE	ESTIMATED QUANTITY
135	374493	POLYMER ASPHALTIC EMULSION (chip seal, .30-.45 gal/sqyd)	TON	9.1
136	375001	SCREENINGS 3/8" (chip seal, 23-30 lbs/sqyd)	SQYD	6,269.0
137	374493	POLYMER ASPHALTIC EMULSION (chip seal, .20-.30 gal/sqyd)	TON	7.8
138	375001	SCREENINGS 5/16" (chip seal, 12-20 lbs/sqyd)	SQYD	6,269.0
139	840656	PAINT TRAFFIC STRIPE (2-COAT), YELLOW 6"	LF	2,640.0
140	840656	PAINT FOG LINE STRIPE (2-COAT), WHITE 6"	LF	2,640.0
141		PROTECT IN PLACE WATER VALVE COVER	EA	1.0
142		PROTECT IN PLACE MANHOLE COVER	EA	2.0

La Franchi Road, CR 113, M.P. 0.00 to M.P. 0.27 Base Bid Full Depth Reclamation, Double Chip with 3/8" & 5/16" Chip Seal top wear course				
ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT CODE	ESTIMATED QUANTITY
143	304010	FULL DEPTH RECYCLING-CEMENT (6" minimum depth)	SQYD	2,802.0
144	304110	CEMENT (FDR - CEMENT)	TON	39.7
145	304210	SUPPLEMENTARY AGGREGATE (FDR-CEMENT)	TON	9.3
146	304310	ASPHALTIC EMULSION (FDR-CEMENT, 0.13 - 0.25 gal/sqyd)	TON	2.9
147	304320	SAND COVER (FDR-CEMENT, 2.0-6.0 lbs/sqyd)	TON	8.4
148	374493	POLYMER ASPHALTIC EMULSION (chip seal, .30-.45 gal/sqyd)	TON	4.1
149	375001	SCREENINGS 3/8" (chip seal, 23-30 lbs/sqyd)	SQYD	2,802.0
150	374493	POLYMER ASPHALTIC EMULSION (chip seal, .20-.30 gal/sqyd)	TON	3.5
151	375001	SCREENINGS 5/16" (chip seal, 12-20 lbs/sqyd)	SQYD	2,802.0

Bid Additive 1 Mountain House Road, CR 111, M.P. 6.32 to M.P. 4.82 Full Depth Reclamation, Double Chip with 3/8" & 5/16" Chip Seal top wear course				
ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT CODE	ESTIMATED QUANTITY
152	304010	FULL DEPTH RECYCLING-CEMENT (6" minimum depth)	SQYD	19,659.0
153	304110	CEMENT (FDR - CEMENT)	TON	278.7
154	304210	SUPPLEMENTARY AGGREGATE (FDR-CEMENT)	TON	65.5
155	304310	ASPHALTIC EMULSION (FDR-CEMENT, 0.13 - 0.25 gal/sqyd)	TON	20.5
156	304320	SAND COVER (FDR-CEMENT, 2.0-6.0 lbs/sqyd)	TON	59.0
157	374493	POLYMER ASPHALTIC EMULSION (chip seal, .30-.45 gal/sqyd)	TON	28.7
158	375001	SCREENINGS 3/8" (chip seal, 23-30 lbs/sqyd)	SQYD	19,659.0
159	374493	POLYMER ASPHALTIC EMULSION (chip seal, .20-.30 gal/sqyd)	TON	24.6
160	375001	SCREENINGS 5/16" (chip seal, 12-20 lbs/sqyd)	SQYD	19,659.0
161	840656	PAINT TRAFFIC STRIPE (2-COAT), YELLOW 6"	LF	15,840.0
162	840656	PAINT FOG LINE STRIPE (2-COAT), WHITE 6"	LF	15,840.0

Bid Additive 2 Mountain House Road, CR 111, M.P. 4.82 to M.P. 3.32 Full Depth Reclamation, Double Chip with 3/8" & 5/16" Chip Seal top wear course				
ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT CODE	ESTIMATED QUANTITY
163	304010	FULL DEPTH RECYCLING-CEMENT (6" minimum depth)	SQYD	19,659.0
164	304110	CEMENT (FDR - CEMENT)	TON	278.7
165	304210	SUPPLEMENTARY AGGREGATE (FDR-CEMENT)	TON	65.5
166	304310	ASPHALTIC EMULSION (FDR-CEMENT, 0.13 - 0.25 gal/sqyd)	TON	20.5
167	304320	SAND COVER (FDR-CEMENT, 2.0-6.0 lbs/sqyd)	TON	59.0
168	374493	POLYMER ASPHALTIC EMULSION (chip seal, .30-.45 gal/sqyd)	TON	28.7
169	375001	SCREENINGS 3/8" (chip seal, 23-30 lbs/sqyd)	SQYD	19,659.0
170	374493	POLYMER ASPHALTIC EMULSION (chip seal, .20-.30 gal/sqyd)	TON	24.6
171	375001	SCREENINGS 5/16" (chip seal, 12-20 lbs/sqyd)	SQYD	19,659.0
172	840656	PAINT TRAFFIC STRIPE (2-COAT), YELLOW 6"	LF	15,840.0
173	840656	PAINT FOG LINE STRIPE (2-COAT), WHITE 6"	LF	15,840.0

Bid Additive 3 Mountain House Road, CR 111, M.P. 3.32 to M.P. 1.82 Full Depth Reclamation, Double Chip with 3/8" & 5/16" Chip Seal top wear course				
ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT CODE	ESTIMATED QUANTITY
174	304010	FULL DEPTH RECYCLING-CEMENT (6" minimum depth)	SQYD	19,659.0
175	304110	CEMENT (FDR - CEMENT)	TON	278.7
176	304210	SUPPLEMENTARY AGGREGATE (FDR-CEMENT)	TON	65.5
177	304310	ASPHALTIC EMULSION (FDR-CEMENT, 0.13 - 0.25 gal/sqyd)	TON	20.5
178	304320	SAND COVER (FDR-CEMENT, 2.0-6.0 lbs/sqyd)	TON	59.0
179	374493	POLYMER ASPHALTIC EMULSION (chip seal, .30-.45 gal/sqyd)	TON	28.7
180	375001	SCREENINGS 3/8" (chip seal, 23-30 lbs/sqyd)	SQYD	19,659.0
181	374493	POLYMER ASPHALTIC EMULSION (chip seal, .20-.30 gal/sqyd)	TON	24.6
182	375001	SCREENINGS 5/16" (chip seal, 12-20 lbs/sqyd)	SQYD	19,659.0
183	840656	PAINT TRAFFIC STRIPE (2-COAT), YELLOW 6"	LF	15,840.0
184	840656	PAINT FOG LINE STRIPE (2-COAT), WHITE 6"	LF	15,840.0