



COUNTY OF MENDOCINO

DEPARTMENT OF PLANNING AND BUILDING SERVICES

860 NORTH BUSH STREET • UKIAH • CALIFORNIA • 95482

752 SOUTH FRANKLIN ST • FORT BRAGG • CALIFORNIA • 95437

RICHARD ANGLE, INTERIM DIRECTOR

PHONE: 707-234-6650

FAX: 707-463-5709

FB PHONE: 707-964-5379

FB FAX: 707-961-2427

pbs@mendocinocounty.gov

www.mendocinocounty.gov

COMMERCIAL ALTERATIONS/ADDITIONS ACCESSIBILITY WORKSHEET

The provisions of Section 11B-202.4 Exception 8 apply to existing buildings or facilities used as public buildings, public accommodations, commercial buildings or public housing. When these buildings or facilities undergo alterations, structural repairs, or additions, an accessible path of travel must be provided to the specific area of construction.

When the adjusted construction cost¹ of **alterations, structural repairs, or additions to existing buildings and facilities** within three years of the original alteration does not exceed a valuation threshold of **\$203,611.00**, the cost of compliance with Section 11B-202.4 of the 2022 California Building Code shall be limited to 20% of the adjusted construction cost of alterations, structural repairs or additions.

In choosing which accessible elements to provide, priority should be given to those elements that will provide the greatest access in the following order:

1. An accessible entrance;
2. An accessible route to the area of alteration, structural repair, or addition (see definition of accessible route Section 202 & 11B-206.2.1 for more information on accessible routes and site arrival points);
3. At least one accessible restroom for each sex serving the area of alteration, structural repair or addition;
4. Accessible telephones, if provided, serving the area of alteration, structural repair, or addition;
5. Accessible drinking fountains, if provided, serving the area of alteration, structural repair, or addition; and
6. When possible, additional accessible elements such as parking, storage, and alarms.

The second page of this Information Bulletin provides an example showing a Summary of Accessibility Upgrades.

¹ Adjusted cost of construction does not include the cost of alterations to path of travel elements required to be upgraded outside the area of alteration, structural repair, or addition.

(For existing buildings where the adjusted construction cost is less than or equal to \$203,611.00 (rev. 1/2025) Sec. 11B-202.4 Exception 8)

Project Address: 123 Hope Street		Application No.	
Project Description/Location: Office tenant improvement (2,040 SF) at 5 th floor Suite No. 502 Type: ☒ Alteration ☐ Structural Repair ☐ Addition		Permit Valuation: \$120,000 *Adjusted Cost of Proposed Construction: \$100,000	
PATH OF TRAVEL REQUIREMENTS FOR AREA OF ALTERATION, STRUCTURAL REPAIR, OR ADDITION			
Accessible Features	Does existing feature meet accessibility standards of Chapter 11B of the current CBC?	Will this feature be replaced or altered to meet Chapter 11B of the current CBC?	If so, how much will be spent to make this feature accessible?
1. Accessible entrance	Yes		\$
2. Accessible route to the altered area	Yes		\$
3. Accessible restroom for each sex or a unisex restroom	No	Yes	\$12,000
4. Accessible telephones	N/A		\$
5. Accessible drinking fountains	No	Yes	\$6,000
6. Other (Any of the below)			
A. Accessible parking spaces	No	No	
B. Signs	No	Yes	\$2,000
C. Alarms	N/A		\$
D. Other:	N/A		\$
Cost of All Features Provided (A)	Summary of costs of Accessible Features Nos. 1-6 provided above.		\$20,000
Adjusted Cost of Proposed Construction (B)	Construction cost for all proposed work on this permit application except Accessible Features Nos. 1-6 provided above.		\$100,000
Percentage Upgrades Provided (A / B)	Cost of all Features Provided / Total Cost on Same Path of Travel.		20%
Description of Access Features Provided:			
New unisex restroom will be created immediately adjacent to existing men and women's restroom in corridor. Drinking fountain at ground floor lobby will be replaced with new hi-lo-accessible unit. Existing signage for 10 accessible parking spaces will be replaced and updated to current requirements. Parking stall access aisle slopes are greater than 2% to existing curbs and cost of creating compliant slopes and curb ramps exceeds the required 20% spending.			
Applicant Certification			
I certify that the above information is true and correct to the best of my knowledge and belief.			
Signature:	John Smith	Date:	01 / 01 / 2016
Name:(print)	John Smith	Company:	John Smith and Associates
Title:	Architect of Record	Address:	123 Broadway
Agent for:	☒ Owner ☒ Architect ☐ Engineer ☐ Contractor	City, State Zip:	Ukiah, CA 95482
		Phone No.:	(831) 555-1212
For Building Official Use Only			
Approved by:	Title:	Date:	/ /

*If an area has been altered without providing an accessible path of travel to that area, and subsequent alterations of that area or a different area on the same path of travel are undertaken within three years of the original alteration, the total cost of alterations to the areas on that path of travel during the preceding three-year period shall be considered in determining whether the cost of making that path of travel accessible is disproportionate.

(For existing buildings where the adjusted construction cost is less than or equal to \$203,611.00 (rev. 1/2025) Sec. 11B-202.4 Exception 8)

Project Address: _____		Application No.: _____	
Project Description/Location: _____		Permit Valuation: _____	
Type: ☐ Alteration ☐ Structural Repair ☐ Addition		*Adjusted Cost of Proposed Construction: _____	
PATH OF TRAVEL REQUIREMENTS FOR AREA OF ALTERATION, STRUCTURAL REPAIR, OR ADDITION			
Accessible Features	Does existing feature meet accessibility standards of Chapter 11B of the current CBC?	Will this feature be replaced or altered to meet Chapter 11B of the current CBC?	If so, how much will be spent to make this feature accessible?
1. Accessible entrance			
2. Accessible route to the altered area			
3. Accessible restroom for each sex or a unisex restroom			
4. Accessible telephones			
5. Accessible drinking fountains			
6. Other (Any of the below)			
A. Accessible parking spaces			
B. Signs			
C. Alarms			
D. Other:			
Cost of All Features Provided (A)	Summary of costs of Accessible Features Nos. 1-6 provided above.		
Adjusted Cost of Proposed Construction (B)	Construction cost for all proposed work on this permit application <u>except</u> Accessible Features Nos. 1-6 provided above.		
Percentage Upgrades Provided (A / B)	Cost of all Features Provided / Total Cost on Same Path of Travel.		
Description of Access Features Provided:			
Applicant Certification			
I certify that the above information is true and correct to the best of my knowledge and belief.			
Signature:		Date: / /	Company:
Name: (print)		Address:	
Title:		City, State Zip:	
Agent for:	☐ Owner ☐ Architect ☐ Engineer ☐ Contractor		Phone No.:
For Building Official Use Only			
Approved by:		Title:	Date: / /